


Price Book



May 15, 2026 (Canada)

audioquest[®]



TABLE OF CONTENTS

USB Digital-Audio Converters

DragonFly DACs	7
JitterBug FMJ USB Noise Filter	7
USB Extenders and Adaptors	7

AC Power

Power Conditioners	8-9
Power Cables	11-13
Wall Outlets	14
Adaptors	14
Fog Lifters (Cable Risers)	14

Speaker Cables

G2, X2, & Q2	18
Rocket Series	19
Folk Heroes	20
Mythical Creatures	21-23
BiWire Jumpers	24
Fog Lifters (Cable Risers)	24
Binding Post Wrench	24

Audio Interconnect Cables

Bridges & Falls	26
Rivers	27
Mythical Horses	28
Mythical Creatures	29
Adaptors, Splitters, Couplers	30
PreAmp Jumpers	30

Subwoofer Cables

Tonearm & Turntable Cables

Vinyl Accessories

GroundGoody Tonearm & Ground Wires	34
Record Brushes	34
Headshell Leads	34

Headphone Accessories

NightBird Headphone Cable	34
Perch Headphone Stand	34

HDMI Cables

8K (48Gbps)	37
4K (18Gbps) & 8K (48Gbps) Long-Length	38
8K (48Gbps) eARC-Priority	38
Adaptors, Coupler	39

Digital-Audio Interconnect Cables

USB Cables and Adaptors	41-42
Optical Cables and Adaptor	43
Digital Coax Cables and Adaptor	44
AES/EBU (Balanced) Cables	45
Ethernet Cables (RJ/E)	46

Accessories

DBS Pack	47
Q-Feet System	47
Fog Lifters (Cable Risers)	47
Cable Clips	47
CleanScreen	47
Adaptors, Splitters, Couplers	48
Sorbothane Sef-Stick Sheet	48
Binding-Post Wrench	48
RCA, XLR, Coax	
Plugs and Connectors	49
Noise-Stopper Caps	50

Instant Tool-less Connectors (ITC)

Cable Stripper	52
Bulk Cables	52
Connectors	52

Bulk Speaker Cables (Spools)

CL3/FT4 In-Wall Rated Speaker Cables	53
Speaker Cables — Not In-Wall Rated	54
SureGrip® Speaker Connectors	55
Spade, Pin, and Banana Connectors	56
Termination Pants	56

Bulk Audio Interconnect Cables (Spools)

CL3/FT4 In-Wall Rated Audio Interconnect	
Cables and Plugs	57

Bulk Ethernet Cables (Spools)

CL3/FT4 In-Wall Rated CAT6	
and CAT7 Ethernet Cables & Plugs	58

Installer Packs

Cables, Splitters and Adaptors	
in Single, Packs of 5 and 10	59

POP Materials

12 Inch Cable Bouquets	62
------------------------	----

Promotional Items

Polo, T-shirt, Jacket	63
Baseball Cap, Beanie	63
Pen	63
Koozie, Water Bottle	63
Backpacks, Tote Bag	64

Index

65-66

Contact Information

AudioQuest Headquarters


2621 White Road, Irvine, CA 92614

www.audioquest.com

Ph: 949.790.6000 | **Fax:** 949.585.0444 | **Toll Free:** 800.747.2770

General email and all other correspondence: info@audioquest.com

AudioQuest: Doing No Harm Since 1980



William (Bill) Low
Founder / CEO

Since 1980, AudioQuest, headquartered in Irvine, California, has been a leading developer, manufacturer, and distributor of high-performance audio/video products and custom-install solutions. Although best known for our comprehensive range of analog, digital, and AC power cables, our portfolio has expanded to a diverse assortment of products, including the multi-award-winning DragonFly DACs, Niagara and PowerQuest power products.

Our ultimate goal is the same today as it was 46 years ago: Do No Harm! By this we mean that all cables and components, to the extent that is technologically feasible, should get out of the music's way by inducing the least amount of noise and distortion.

The Evolution Continues: The Four Elements Today

While minimizing noise and damage to the audio signal remains the North-Star constant, the ways in which AudioQuest engages these challenges always evolves. While there are still Four Elements that describe our foundational materials and design philosophies, a growing number of technologies cross and even go beyond our original Four Elements. Many have become crucial enough to demand visibility. Noise-Dissipation is an umbrella Element under which many of these meaningful techniques and technologies will reside. While Geometry is no longer identified as one of The Four Elements, it remains inextricably tied to all other Elements of cable design and manufacture.


Solid Conductors: Strand interaction remains the biggest potential source of distortion in cables. Solid Conductors are the aspirational ideal and most complete solution to this problem. However, thoughtfully arranged multi-conductor geometries such as concentric windings are used to create our Semi-Solid Conductor technologies. These avoid many strand-distortion mechanisms and are in their own right ideal in a growing number of applications.

Directionality: All drawn metal conductors have a non-symmetrical, fish-scale-like grain structure. Because the highest Radio Frequencies (RF) are subject to skin effect, traveling on this deformed outer-surface layer of the conductor, there is a resulting increase in RF impedance in one direction versus the other. Since induced RF noise is parasitic (and doesn't travel with the primary signal current), it takes the path of least resistance. At AudioQuest, we test every conductor so it is used in the direction that drains the induced noise away from where it will cause the most harm, optimizing the cable and the system's performance.


Noise-Dissipation: Unwanted Radio-Frequency (RF) noise is and has always been picked up and induced into cable. This contamination ultimately masks and distorts critical portions of the audio/video signal. As this distortion-causing (parasitic) RF signal is more present today than at any previous time in history, we must depend on a wider arsenal of Noise-Dissipation technologies:

- ZERO-Tech (No Characteristic Impedance) applies Ultra-Linear Noise-Dissipation across the widest range of frequencies possible. It also enables uncompressed transient current transfer for AC power and loudspeaker/power amplifier applications.
- RF/ND-Tech (Patented Radio-Frequency Ground-Noise Dissipation) minimizes circuit misbehavior by cancelling induced RF noise.
- Tried-and-true DBS (Dielectric-Bias System) has evolved to include RF-Noise Traps that further reduce dielectric distortion and induced noise.


Metal Quality: Higher-purity conductor metals with smoother surfaces and internal crystal structures greatly reduce noise and distortion. Carefully finessed mixes of metals and conductor sizes can be effectively used to define a cable's Sonic Signature—a cost-effective technique for high-value, high-performance models.




Solid Conductors



Directionality



Noise-Dissipation



Metal Quality

DragonFly: The Evolution Continues

Beautiful Sound from Any Mobile Device or Computer

With today's mobile devices, computers, and streaming applications, we have immediate access to an ever-expanding universe of digital media — music, videos, podcasts, games, reels, and more.

The digital-to-analog converters (DACs) in these powerful devices are designed to produce sound effects and alerts — not fully expressed music. So, even when the sample-rate numbers (24/192, etc.) look impressive, we're missing the detail and resolution that makes music so engaging.

DragonFly bypasses that internal audio circuitry to unlock a more immersive and emotionally compelling experience, revealing the expression and nuance that makes music and movies so enjoyable — no matter the source device, streaming application, or file type.



Like all AudioQuest products, DragonFly has benefitted from gradual refinements made possible by better parts, better materials, and our own insatiable desire for better sound.

DragonFly Black was considered an overachiever, delivering great performance for relatively little money.

DragonFly Red offered more power, more grip, and even deeper sonic immersion.

DragonFly Cobalt, with its more advanced processor, microcontroller, and RF noise filtering, provided even greater clarity, dynamics, and finesse than previously possible.

Now, DragonFly Copper boasts the most powerful and efficient DAC/headphone amp we've ever used and features a High-Conductivity Copper-Plated case inspired by the gorgeous RF-Draining plug barrels of our Mythical interconnects. The result is 2x the output power of Cobalt, significantly improved noise-dissipation, and, we hope, immeasurably greater musical immersion and enjoyment.



DragonFly DAC + Preamp + Headphone Amp

- Beautiful sound from all music files: MP3 to Hi-Res
- Copper-Plated Case provides superior RF-Noise Dissipation
- Uses 25% less current and delivers 2x the output power of previous DragonFly Cobalt
- Drives Headphones; Feeds Preamps, Amps, and Powered Speakers



	DragonFly Copper
Integrated DAC/Headphone Amp	ESS9218
Output Power	2x any previous DragonFly
Volume Control	Phone, tablet, or computer controls the output level
Desktop Compatibility	Apple and Windows PCs
Mobile Compatibility	iOS and Android
Included Accessories	DragonTail A-to-C adaptor
Dimensions	57mm (l) x 19mm (w) x 12mm (h)
	Retail: 345.00

USB Extenders and Adaptors

DragonTail USB Extenders feature 5% Silver Solid Conductors and are Direction-Controlled for reduced RF noise.



DragonTail USB A 2.0 Extender
Female USB A to Male A
Retail: 39.95





DragonTail A to C Adaptor
(included with DragonFly Copper)
Retail: 39.95

JitterBug FMJ USB 2.0 Noise Filter (Data & Power)



- Enables more spacious and compelling sound
- Dual Discrete Noise-Dissipation Circuits reduce all forms of internal noise in both the sending and receiving electronics
- Full Metal Jacket (FMJ) with hinged Carbon-Loaded Noise-Dissipation input cover protects against external noise
- Reduces jitter and packet errors
- Use one JitterBug in series with almost any USB DAC, including DragonFly Copper
- For an additional improvement, use a second JitterBug in parallel



Retail: 89.95

AC Power Conditioners



Niagara and PowerQuest: Low-Z Power | Noise-Dissipation Systems

Performance begins with power, and the quality of that power plays a significant role in any audio/video system's ability to suspend disbelief — to seduce, thrill, captivate, and transport an audience.

AudioQuest's Niagara and PowerQuest models are distinct among all power products — isolation transformers, AC regenerators, battery back-up devices, re-clocking devices, ground boxes, and others — in their unrivaled ability to work evenly, or *linearly*, across the widest possible range of induced noise frequencies.

Additionally, PQ-707, PQ-909, and Niagaras 3000, 5000, and 7000 feature Transient Power Correction, which supplies a current reservoir to greatly bolster the performance of any power amplifier.

Compact AC Power Conditioners



	PowerQuest G8	PowerQuest TV3	PowerQuest 2	PowerQuest 3
Price	159.95	329.95	349.95	599.95
Power Cable	Attached Standard / 6ft	 15-Amp Detachable PQ-415 / 3 ft.	Attached PQ-315 / 2m	
		Semi-Solid Concentric Direction-Controlled Long-Grain Copper Flat-to-Wall Plug		
Non-Sacrificial Surge Protection	No	Yes		
Extreme Voltage Shutdown	No	Yes		
Outlets	8 total	(2) Source (1) High-Current	(4) Source (2) High-Current	(6) Source (2) High-Current
USB Charging Ports	1x USB-A 1x USB-C	None	2x USB-A	4x USB-A
Maximum RMS Current	15 Amps (RMS) @ 120V	10 Amps (RMS) @ 120V	15 Amps (RMS) @ 120V	
Dimensions	11.93"W x 3.31" H x 1.29" D	10.0" W x 6.125" H x 1.75" D	15.5"W x 3.2" H x 6.0" H	15.5"W x 3.2" H x 7.4" H
Weight	1.4 lbs.	3.5 lbs.	4.9 lbs.	5.5 lbs.

For more information on AudioQuest power products, visit <https://www.audioquest.com/ac-power>
Download our Power Demystified paper at <https://www.audioquest.com/theory-education>


Rack-Mountable AC Power Conditioners

All PowerQuest rack-mountable components share the following features:

- Linear Noise-Dissipation Technology
- Non-Sacrificial Surge Protection
- Extreme Voltage Shutdown

All Niagaras share the following features:

- Linear Noise-Dissipation Technology
- Patented Ground-Noise Dissipation
- Directionally Controlled Wiring & Inductors
- High-Tension AC Inlets and Outlets
- Non-Sacrificial Surge Protection
- Extreme Voltage Shutdown



	PowerQuest 303	PowerQuest 505	PowerQuest 707	PowerQuest 909	Niagara 3000	Niagara 5000	Niagara 7000	
Price	699.95	999.95	1,999.95	3,299.95	5,900.00	8,900.00	15,900.00	
Power Cable	 15-Amp Detachable PQ-415 / 2m	 15-Amp Detachable PQ-715 / 2m		 20-Amp Detachable PQ-920 / 2m	Not Included.  15-amp AudioQuest Direction-Controlled power cable necessary to complete the Noise-Dissipation System, maximizing Niagara's performance.	Not Included.  20-amp AudioQuest Direction-Controlled power cable necessary to complete the Noise-Dissipation System, maximizing Niagara's performance.		
	Direction-Controlled Long-Grain Copper; Flat-to-Wall Plug	Semi-Solid Concentric Direction-Controlled Long-Grain Copper; ZERO-Tech & RF/ND-Tech Flat-to-Wall Plug						
Transient Power Correction	No		45 amps peak (up to 25ms)		55 amps peak (up to 25ms)	90 amps peak (up to 25ms)		
DBS Symmetrical Power Isolation Transformer	No				No			Yes
Outlets	8 Source 4 High-Current			Superior-Clamping Hospital-Grade: 8 Source 4 High-Current	5 Source 2 High-Current	8 Source 4 High-Current		
Maximum RMS Current	15 Amps (RMS) @ 120V			20 Amps (RMS) @ 120V	15 Amps (RMS) @ 120V	20 Amps (RMS) @ 120V		
Dimensions	17.0" W x 3.4 H" x 13.4" D		17.0" W x 3.4 H" x 14.9" D		17.5" W x 3.45 H" x 15.2" D	17.5" W x 5.24 H" x 17.2" D	17.5" W x 5.24 H" x 17.2" D	
Mountable	Yes (2-RU rack-mount kit included)				Yes (2-RU rack-mount kit included)	Yes (3-RU rack-mount kit available upon request)		
Weight	10.2 lbs.	10.8 lbs.	16.7 lbs.	16.9 lbs.	29 lbs.	44 lbs.	92 lbs.	

AC Power Cables


Low-Z | Noise-Dissipation NRG, Wind, and Storm Series

The power cables that are supplied with most audio/video components have many admirable features. They're durable, flexible, small, and they will unfailingly supply the required AC voltage from the utilities' service tap for many years to come. They're also inexpensive.

Unfortunately, these "commodity" power cables were never up to the task of supplying sensitive components with the quality power they need. By this, we mean power that is unrestricted when delivering current transients to a power amplifier. The power cable must not add noise to the audio/video signal via RF (radio-frequency) noise that is induced into, or picked up by, the AV component. The ground lead is the worst offender in this regard, as it has no component power supply to help lessen the damage from the induced RF noise. Typically, the ground noise drains directly towards the component's signal path.

Even with an advanced AC power system like Niagara or PowerQuest, the AC power cable is a branch of noise-dissipation system. Like plumbing, the RF noise must be drained away from the circuits upon which it could do harm. Many ask, if my wall wiring is so many yards in length, how can a 6-foot cable possibly matter? It matters for the same reason four square inches of mud and debris can back up a plumbing system or a rain gutter. The drainage or distribution of water currents and noise currents work in the exact same manner. They are one system.

With AudioQuest AC power cables and our unique technologies such as ZERO-Tech (No Characteristic Impedance) and our patented RF/ND-Tech, you will experience greater dynamics, bass grip, extended high frequencies, and the blackest background you've ever heard.



AC Power Cables: NRG Series

NRG AC cables, including shorter lengths, are also available in Installer Packs. See page 59.

C5
2.5A Maximum RMS
Capacity @ 120VAC 60Hz



C7
2.5A Maximum RMS
Capacity @ 120VAC 60Hz



C13
15A Maximum RMS
Capacity @ 120VAC 60Hz



NRG-Y2 and NRG-Z2 cables use a 2-pole C7 connector—and yet feature a 3-prong wall plug. The additional ground connection is necessary to enable ZERO-Tech, and to maximize RF-Noise Dissipation.



Model		NRG-X2	NRG-Y2	NRG-Z2	NRG-X3	NRG-Y3	NRG-Z3
Metal		Semi-Solid Long-Grain Copper (LGC)		Semi-Solid Perfect-Surface Copper+ (PSC+)	Semi-Solid Long-Grain Copper (LGC)		Semi-Solid Perfect-Surface Copper+ (PSC+)
Gauge		17 AWG			16 AWG (12 Amp @ 120V)	14 AWG (15 Amp @ 120V)	
Technology		ZERO-Tech (No Characteristic Impedance)				ZERO-Tech (No Characteristic Impedance)	ZERO-Tech (No Characteristic Impedance); Patented RF/ND-Tech
Jacket		Black PVC with Red Stripes	Dark Gray/Black Braid	Dark Red/Black Braid	Black PVC with Red Stripes	Dark Gray/Black Braid	Dark Red/Black Braid
Terminations		Cold-Welded Connectors					
Meters	Feet	Retail	Retail	Retail	Retail	Retail	Retail
1m	3' 3"	114.95	234.95	379.95	144.95	284.95	520.00*
2m	6' 6"	134.95	269.95	459.95	169.95	339.95	690.00*
3m	9' 10"	154.95	304.95	539.95	194.95	394.95	850.00*
4.5m	14' 9"	184.95	357.95	659.95	232.45	477.45	1,100.00*
6m	19' 8"	214.95	409.95	779.95	269.95	559.95	1,350.00*

* New price effective now.




C17

For components that use the ungrounded C17 connector, please use AQ cables with a C13 connector.

AC Power Cables: Wind Series

Never assume which of these is required for a component or power conditioner. Some manufacturers prefer the performance of one IEC inlet type over another—even when their circuit’s current draw is minimal.



Wind Series Plugs



Wind XTRM Plugs Built From Storm-Level Components

Model		Monsoon	Monsoon XTRM	Blizzard 🟢 72v DBS	Blizzard XTRM 🟢 72v DBS	Silver Cloud 🟢 72v DBS	Silver Cloud XTRM 🟢 72v DBS
Plug Type		Direct-Gold Plated Molded	Hanging-Silver over Red and Beryllium Coppers	Direct-Gold Plated Molded	Hanging-Silver over Red and Beryllium Coppers	Direct-Gold Plated Molded	Hanging-Silver over Red and Beryllium Coppers
Metal		Semi-Solid True-Concentric Perfect-Surface Copper+ (PSC+) and Long-Grain Copper (LGC)		Semi-Solid True-Concentric Perfect-Surface Copper+ (PSC+)		Semi-Solid True-Concentric Perfect-Surface Silver (PSS) and Perfect-Surface Copper+ (PSC+)	
Gauge		12 AWG (20 Amps RMS @ 60 Hz)					
Technology		ZERO-Tech (No Characteristic Impedance) for Uncompressed Current Transfer; RF/ND-Tech					
Jacket		Dark Blue/Black Braid		Silver/Black Braid		Black/Black Braid	
Terminations		Direct-Gold and Silver Plated; Cold-Welded Connectors					
Meters	Feet	Retail	Retail	Retail	Retail	Retail	Retail
1m	3' 3"	674.95	1,374.95	1,124.95	1,824.95	3,199.95	3,849.95
2m	6' 6"	949.95	1,649.95	1,449.95	2,149.95	5,399.95	6,049.95
3m	9' 10"	1,224.95	1,924.95	1,774.95	2,474.95	7,599.95	8,249.95
4.5m	14' 9"	1,637.45	2,337.45	2,262.45	2,962.45	–	11,549.95
6m	19' 8"	2,049.95	2,749.95	2,749.95	3,449.95	–	14,849.95
Other prepared lengths use formula:		–	275.00/m + 1,099.95	–	325.00/m + 1,499.95	–	2,200.00/m + 1,649.95

AC Power Cables: Storm Series

Never assume which of these is required for a component or power conditioner. Some manufacturers prefer the performance of one IEC inlet type over another—even when their circuit's current draw is minimal.

High (Variable) Current AC Power Cables - Optimized for use with AC power conditioners/regenerators, power amplifiers, and any components that contain a built-in power amplifier, including AV receivers, powered speakers, and powered subwoofers.

C13 or C15
15 Amp Maximum RMS
Capacity @ 120VAC 60Hz



C19
20 Amp Maximum RMS
Capacity @ 120VAC 60Hz





Plugs for Storm Series

Model		 Thunder ● 72v DBS	 Tornado ● 72v DBS	 Hurricane ● 72v DBS	 FireBird ● 72v DBS	 Dragon ● 72v DBS	
Conductor Metal		Solid Perfect-Surface Copper+ (PSC+) plus Long-Grain Copper (LGC)		Solid Perfect-Surface Copper+ (PSC+)		Solid Perfect-Surface Silver (PSS) plus Solid Perfect-Surface Copper+ (PSC+)	Solid Perfect-Surface Silver (PSS)
RF Drain Metal		Solid 6% Silver			Solid Perfect-Surface Silver (PSS)		
Technology		ZERO-Tech (No Characteristic Impedance) for Uncompressed Current Transfer; RF/ND-Tech					
Jacket		Brown/Black Braid 	Silver/Black Braid 	Dark Blue/Black Braid 	Dark Red/Black Braid 	Black/Black Braid 	
Termination and Gauge		Hanging-Silver over Red and Beryllium Copper - 11 AWG Line and Neutral / 12 AWG Ground (20 Amps RMS @ 120V)					
Meters	Feet	Retail	Retail	Retail	Retail	Retail	
1m	3' 3"	1,595.00	2,050.00	2,600.00	5,000.00	7,500.00	
2m	6' 6"	1,995.00	2,600.00	3,700.00	8,500.00	13,500.00	
3m	9' 10"	2,395.00	3,150.00	4,800.00	12,000.00	19,500.00	
Other prepared lengths use formula:		400.00/m + 1,195.00	550.00/m + 1,500.00	1,100.00/m + 1,500.00	3,500.00/m + 1,500.00	6,000.00/m + 1,500.00	

Constant-Current (Source) AC Power Cables - Optimized for use with audio/video source components, which have a constant or "fixed" current draw.

Model		-	Tornado 🟢 72v DBS	Hurricane 🟢 72v DBS	FireBird 🟢 72v DBS	Dragon 🟢 72v DBS
Conductor Metal		-	Solid Perfect-Surface Copper+ (PSC+)		Solid Perfect-Surface Silver (PSS)	
RF Drain Metal		-	Solid 6% Silver	Solid Perfect-Surface Silver (PSS)		
Termination and Gauge		-	Hanging-Silver over Red and Beryllium Copper - 16 AWG Line, Neutral and Ground (12 Amps RMS @ 60 Hz)			
Meters	Feet	-	Retail	Retail	Retail	Retail
1m	3' 3"	-	1,645.00	2,200.00	4,150.00	6,500.00
2m	6' 6"	-	1,995.00	2,900.00	6,800.00	11,500.00
3m	9' 10"	-	2,345.00	3,600.00	9,450.00	16,500.00
Other prepared lengths use formula:		-	350.00/m + 1,295.00	700.00/m + 1,500.00	2,650.00/m + 1,500.00	5,000.00/m + 1,500.00

AC Power Accessories



NRG Edison Duplex Wall Outlet

- Low-Z Power Noise-Dissipation
- Polished High-Tension Surfaces with Hanging-Silver Plating
- Significantly Greater Metal Mass For Optimum Current Delivery
- Beryllium-Copper Base Metal
- Includes Duplex Outlet, Wall Plate and Hardware

NRG Edison (15 Amp)

Retail: 349.95

NRG Edison (20 Amp)

Retail: 349.95



C7 90° Adaptor Kit

- Provides 90° bends for C7 power connections
- Also connects for double bends
- Non-polarized for maximum flexibility

Package contains:

- 1 x "E" adaptor
- 1 x "U" adaptor

Set of 2

Retail: 69.95

C7 90° Adaptors also available in Installer 10-Packs, page 60.

Female to Male IEC C-13 Adaptors

Premium Single-Piece Metal Conductors from Input to All Outputs Preserve Advantages of Superior AudioQuest NRG Series AC Cables.



IEC90°/1

Adaptor Bends in Direction of 1 Center

Retail: 34.95



IEC90°/2


Adaptor Bends in Direction of 2 Outer Pins

Retail: 34.95



IEC>3US Power Strip

Retail: 69.95



Set of 8

Retail: 199.95

Speaker Cables

Meticulously Designed to Minimize Noise and Distortion

Do No Harm: The Four Elements Today

AudioQuest's Four Elements are always applied in the most thoughtful, effective ways to offer the best performance for the money—at all price points. While our implementation of these techniques has evolved over the years, our guiding principle remains the same: *Do No Harm*.

Solid Conductors

Strand interaction remains the biggest potential source of distortion in cables. Solid Conductors are the aspirational ideal and most complete solution to this problem. However, thoughtfully arranged multi-conductor geometries such as concentric windings are used to create our Semi-Solid Conductor technologies. These avoid many strand-distortion mechanisms and are in their own right ideal in a growing number of applications.

High-Purity Metal

Higher-purity conductor metals with smoother surfaces and internal crystal structures greatly reduce noise and distortion. Carefully finessed mixes of metals and conductor sizes can be effectively used to define a cable's *Sonic Signature*—a cost-effective technique for high-value, high-performance models.


Noise-Dissipation

Unwanted Radio-Frequency (RF) noise is and has always been picked up and induced into cable. This contamination ultimately masks and distorts critical portions of the audio/video signal. As this distortion-causing (parasitic) RF signal is more present today than at any previous time in history, we must depend on a wider arsenal of Noise-Dissipation technologies:

- Directionally Controlled conductors minimize high-frequency noise by “directing” or draining it away from the most vulnerable circuits.
- ZERO-Technology (No Characteristic Impedance) applies Ultra-Linear Noise-Dissipation across the widest range of frequencies possible. It also enables uncompressed transient current transfer for AC power and loudspeaker/power amplifier applications.
- RF/ND-Tech (Patented Radio-Frequency Ground-Noise Dissipation) minimizes circuit misbehavior by cancelling induced RF noise.
- Tried-and-true DBS has evolved to include RF-Noise Traps that further reduce dielectric distortion and induced noise.


Dielectric

Insulation is necessary between conductors to minimize signal interaction and electrical shorts. The ideal is virtually no dielectric interaction (such as is achieved with our ZERO-Technology). However, by optimizing the dielectric material between signal conductors, this distortion is greatly minimized.




Speaker Cable Applications

Full-Range (FR) Non BiWire, All Models




Single-BiWire (SBW) Rocket Models Only




BiWire Preparation for Vandersteen Speakers


Combines Folk Hero or Mythical Creature speaker cables with ThunderBird or Dragon BiWire Jumpers for secure, simple connection to Vandersteen barrier strip input terminals.



Single-BiAmp (SBA) Rocket Models Only



BiWire COMBO Mythical Creatures ZERO and BASS Combination




REL Acoustics™ / Sonus Faber™ High-Level Input Subwoofer Cable

Single Subwoofer (Version 1) – Rocket Models Only



REL Acoustics™ / Sonus Faber™ High-Level Input Subwoofer Cable

Dual Subwoofer (Version 2) – Rocket Models Only



REL Acoustics™ Umbilical Line-Array Connector Rocket Models Only (1m Standard Length)



Contact your AudioQuest sales manager for pricing.

Mythical Creature & Folk Hero Termination Options: Bananas or Spades?

Amplifier-End Connector:


Choice of 1000 Series Multi-Spade, Banana, U-Spade, or V-Spade (Silver only)




Insulated (compliant) binding posts may not allow for 2 sets of connectors.

Often, the choice between terminating speaker cables with spade lugs or banana plugs will come down to personal preference. However, today's EU-compliant isolated binding posts are being used on more power amplifiers than ever before. This sometimes makes it difficult, if not impossible, to use a banana connector. Further, given the girth and weight of our Mythical Creature Series speaker cables, a spade may be better capable of fully supporting the cable. This is particularly a concern with binding posts that do not allow a banana connector to fully seat into the post.


Further, the EU-compliant posts will neither accept our V-Spade nor allow our Multi-Spade to be fully seated. For these applications (or when you're not certain), **we highly recommend the U-Spade**, as it can accommodate any binding post. The V-Spade is a specialty spade connector that works well with large wingnut binding posts (such as the Mundorf), as it allows extra clearance.




Banana Dimensions (in.)



Multi-Spade Dimensions (in.)



U-Spade Dimensions (in.)



V-Spade Dimensions (in.)

Speaker-End Connector:

Choice of 1000-Series Spade or Banana (Silver only)

Here we typically recommend the **U-Spade** or banana connector. However, even though there is less weight and pressure on this side of the cable (particularly for BiWire sets), it is nevertheless important to note the binding post's design. If a banana connector cannot seat all the way into the binding post, we recommend one of our spade connectors.

How to Order Prepared Speaker Cables

First please specify type of connector (banana or appropriate spade), then the finish of connector (silver*).


(*or gold where applicable)

Pair prices shown. Also available in singles (i.e. for center channel, subwoofer, or mono) at half pair price.

When ordering any factory-terminated speaker cable, please include the required elements shown in the examples below:

Qty.	Pair or Single	Length	Model	FR/BWC/SBW	Amplifier Termination	Speaker Termination	Silver or Gold
1	Pair	10 ft.	Rocket 88	FR	Spade	Banana	Silver
1	Single	6 ft.	ThunderBird	COMBO	U-Spade	Banana	N/A
1	Single	10 ft.	Rocket 44	SBW	Spade	Banana	Gold

Speaker Cables: G2, X2, & Q2



Model	G2	X2	Q2
Metal	Semi-Solid Concentric Long-Grain Copper (LGC)		Semi-Solid Concentric Long-Grain Copper (LGC)
Gauge	16 AWG	14 AWG	15 AWG
PVC Jacket	Dark Gray / Silver Stripe Off-White / Silver Stripe	Dark Gray / Red Stripe; Off-White / Red Stripe	Prepared: Black Bulk: White or Black
Terminations	-		SureGrip 100 (Silver) Banana
Prepared Lengths in Feet	Retail	Retail	Retail
10' Pair	-	-	439.95
Unprepared Lengths in Feet	Retail	Retail	Retail
30'	99.95	143.95	-
50'	164.97	239.98	-
100'	329.95	479.95	-
328'	1,082.23	1,574.23	2,624.00

See page 54 for spools.

Speaker Cables: Rocket Series

Please Specify Full-Range, Single-BiWire, or Single-BiAmp Termination



Model	Rocket 11	Rocket 22	Rocket 33	Rocket 44	Rocket 88 🟢 72v DBS
Application Options	Full-Range and Single-BiWire	Full-Range, Single-BiWire, REL and Optimized for Naim			
Metal	Semi-Solid Concentric Long-Grain Copper (LGC)	Semi-Solid Concentric PSC and LGC	Solid PSC and LGC	Solid PSC+ and PSC	Solid PSC+
Gauge	14 AWG	12 AWG	14 AWG	13 AWG	
Geometry	Double Spiral-Pair		Double Star-Quad		
Dielectric	PVC		Foamed-Polyethylene (For All Positive Conductors)		
Noise-Dissipation	Directionally-Controlled Conductors		Carbon-Based Noise-Dissipation		
Jacket	Black with Gray Stripes CL3/FT4 PVC	Black with Blue Stripes CL3/FT4 PVC	Red/Black Braid or PVC	Silver/Black Braid or PVC	Green/Black Braid or PVC
Plugs	SureGrip 300 (Silver or Gold) Choice of Multi-Spade or Banana	SureGrip 300 (Silver or Gold) Choice of Multi-Spade or Banana	SureGrip 300 (Silver or Gold) Choice of Multi-Spade or Banana	500 Series (Silver or Gold) Choice of Multi-Spade or Banana	
Prepared Lengths in Feet	Retail	Retail	Retail	Retail	Retail
Adder for BiWire	BiWire = Full-Range + 100.00			BiWire = Full-Range + 250.00	
8' Pair	499.95	779.95	1,019.95	1,489.95	1,999.95
10' Pair	529.95	879.95	1,149.95	1,699.95	2,249.95
12' Pair	–	–	1,279.95	1,909.95	2,499.95
15' Pair	604.95	1,129.95	1,474.95	2,224.95	2,874.95
Other prepared lengths use formula:	15.00/pair ft + 379.95/pair	50.00/pair ft + 379.95/pair	65.00/pair ft + 499.95/pair	105.00/pair ft + 649.95/pair	125.00/pair ft + 999.95/pair
Unprepared Lengths in Feet	Retail	Retail	Retail	Retail	Retail
164' Unprepared by foot	7.50/ft	25.00/ft	32.50/ft	52.50/ft	62.50/ft
328' Unprepared by foot	7.50/ft	25.00/ft	32.50/ft	–	–

See page 53 for spools.

ZERO-Tech Speaker Cables: Folk Heroes



Model	Lone Ranger ● 72v DBS		BigFoot BASS ● 72v DBS	Lone Ranger/BigFoot BiWire COMBO ● 72v DBS	Brave Heart ● 72v DBS
Metal	Solid Perfect-Surface Copper+ (PSC+)			Refer to Specs for Lone Ranger and BigFoot	Solid Perfect-Surface Copper+ (PSC+)
Gauge	14 AWG				12 AWG
Geometry	ZERO-Tech (No Characteristic Impedance)				ZERO-Tech (No Characteristic Impedance)
Noise-Dissipation	Graphene+Carbon Mesh-Network	RF/ND-Tech			Graphene+Carbon Mesh-Network
Jacket	Black/Black Braid				Red/Black Braid
Application Options	Full-Range or BiWire COMBO (when combined with BigFoot BASS cable)	BiWire COMBO (when combined with Lone Ranger ZERO cable)			Full-Range
Plug Options (1000 Series, Silver)	Choice of U-Spade, Multi-Spade, Banana (amp side/speaker side) or V-Spade (amp side only)				
Prepared Lengths in Feet	Retail		Retail	Retail	Retail
8' Pair	3,990.00		3,990.00	7,980.00	6,790.00
10' Pair	4,490.00		4,490.00	8,980.00	7,890.00
12' Pair	4,990.00		4,990.00	9,980.00	8,990.00
15' Pair	5,740.00		5,740.00	11,480.00	10,640.00
Other prepared lengths use formula:	250.00/pair ft + 1,990.00/pair		250.00/pair ft + 1,990.00/pair	500.00/pair ft + 3,980.00/pair	550.00/pair ft + 2,390.00/pair

Speaker Cables: ThunderBird (Mythical Creatures)



Model	ThunderBird ZERO 72v DBS	ThunderBird BASS 72v DBS	ThunderBird ZERO BiWire COMBO (ZERO + BASS) 72v DBS
Metal	Solid Perfect-Surface Copper+ (PSC+)	Solid PSC+ Sonic-Signature Conductors and LGC	Refer to Specs for ZERO and BASS
Gauge	10 AWG		
Geometry	ZERO-Tech (No Characteristic Impedance)		
Noise-Dissipation	Multi-Layer Carbon-Based Noise-Dissipation	RF/ND-Tech	
Jacket	Blue/Black Braid		
Application Options	Full-Range, or BiWire COMBO (when combined with BASS cable)	BiWire COMBO (when combined with ZERO cable)	
Plug Options (1000 Series, Silver)	Choice of U-Spade, Multi-Spade, Banana (amp side/speaker side) or V-Spade (amp side only)		
Prepared Lengths in Feet	Retail	Retail	Retail
8' Pair	7,340.00	2,870.00	10,210.00
10' Pair	8,500.00	3,250.00	11,750.00
12' Pair	9,660.00	3,630.00	13,290.00
15' Pair	11,400.00	4,200.00	15,600.00
Other prepared lengths use formula:	580.00/pair ft + 2,700.00/pair	190.00/pair ft + 1,350.00/pair	770.00/pair ft + 4,050.00/pair

Speaker Cables: FireBird (Mythical Creatures)



Model	FireBird ZERO 🟢 72v DBS	FireBird BASS 🟢 72v DBS	FireBird BiWire COMBO (ZERO + BASS) 🟢 72v DBS
Metal	Solid Perfect-Surface Silver (PSS) Sonic-Signature Conductors and Perfect-Surface Copper+ (PSC+)		Refer to Specs for ZERO and BASS
Gauge	10 AWG		
Geometry	ZERO-Tech (No Characteristic Impedance)		
Noise-Dissipation	Multi-Layer Carbon-Based Noise-Dissipation	RF/ND-Tech	
Jacket	Dark Red/Black Braid		
Application Options	Full-Range, or BiWire COMBO (when combined with BASS cable)	BiWire COMBO (when combined with ZERO cable)	
Plug Options (1000 Series, Silver)	Choice of U-Spade, Multi-Spade, Banana (amp side/speaker side) or V-Spade (amp side only)		
Prepared Lengths in Feet	Retail	Retail	Retail
8' Pair	22,700.00	8,550.00	31,250.00
10' Pair	27,700.00	10,350.00	38,050.00
12' Pair	32,700.00	12,150.00	44,850.00
15' Pair	40,200.00	14,850.00	55,050.00
Other prepared lengths use formula:	2,500.00/pair ft + 2,700.00/pair	900.00/pair ft + 1,350.00/pair	3,400.00/pair ft + 4,050.00/pair

Speaker Cables: Dragon (Mythical Creatures)




Model	Dragon ZERO 72v DBS	Dragon BASS 72v DBS	Dragon BiWire COMBO (ZERO + BASS) 72v DBS
Metal	Solid Perfect-Surface Silver (PSS) Sonic-Signature Conductors and Perfect-Surface Copper+ (PSC+)		Refer to Specs for ZERO and BASS
Gauge	10 AWG		
Geometry	ZERO-Tech (No Characteristic Impedance)		
Noise-Dissipation	Multi-Layer Carbon-Based Noise-Dissipation	RF/ND-Tech	
Jacket	Black Braid		
Application Options	Full-Range, or BiWire COMBO (when combined with BASS cable)	BiWire COMBO (when combined with ZERO cable)	
Plug Options (1000 Series, Silver)	Choice of U-Spade, Multi-Spade, Banana (amp side/speaker side) or V-Spade (amp side only)		
Prepared Lengths in Feet	Retail	Retail	Retail
8' Pair	43,500.00	16,550.00	60,050.00
10' Pair	53,700.00	20,350.00	74,050.00
12' Pair	63,900.00	24,150.00	88,050.00
15' Pair	79,200.00	29,850.00	109,050.00
Other prepared lengths use formula:	5,100.00/pair ft + 2,700.00/pair	1,900.00/pair ft + 1,350.00/pair	7,000.00/pair ft + 4,050.00/pair

Speaker Cable Accessories

Bare Naked BiWire Jumpers


Silver-plated Solid PSC+ conductors offer dramatically superior performance to stamped jumpers.



Set of (4) 3.5 inch Jumpers
Retail: 64.95

ThunderBird and Dragon BiWire Jumpers

Direction-Controlled Solid Perfect-Surface Copper+ (PSC+) and Perfect-Surface Silver (PSS) and Carbon-Loaded Insulation. Available in Spade-Spade, Spade-Banana, Banana-Spade, and Banana-Banana.



ThunderBird (PSC+) uses Hanging-Silver 500 Series Bananas or Spades.

Set of 4 (8 inches)
Retail: 595.00




Dragon (PSS) uses Hanging-Silver 1000 Series Bananas or Spades.

Set of 4 (8 inches)
Retail: 995.00

Fog Lifters

Reduce the RF noise that capacitively couples into cables through all solid materials (carpet, stone, wood, etc.)



Set of 8
Retail: 199.95

Binding-Post Wrench

Real tool-quality double-ended nut driver with metal inserts.

Fits 7/16" and 1/2" binding posts.




Retail: 29.95

Using BiWire Jumpers with Full-Range Cables on BiWire Capable Speakers


3-Way or Panel-Hybrid Speaker

Please connect amp directly to the critical midrange and tweeter Treble input, and then jumper down to the Bass input.



2-Way Speaker

To maintain the speaker design's delicate midrange/tweeter relationship, please connect signal to Treble (+) and Bass (-).



Audio Interconnect Cables

The Higher You Climb, The Less You Hear?


The evolution of AudioQuest's audio cables is a steady climb up a mountain whose summit we'll never reach — there is always room for improvement and growth, as evidenced by our new Mythical Horses and Mythical Creatures interconnects. Perhaps less intuitive is the fact that climbing up our Analog Interconnect line means you hear less of the cable.

The reason is simple: As more of the delicate audio signal is protected from damage along the way, the listener experiences more of the truth and emotional impact of the music. Greater faithfulness to the audio signal is made possible by the use of superior materials and the careful implementation of increasingly sophisticated design and construction techniques.

Music is wonderfully complex, and our ears are very sensitive to its nuances. The remarkably affordable Bridges & Falls Series is an amazing place to start the journey. For those who want better performance and can sacrifice the physical flexibility and diverse connectivity options afforded by Bridges & Falls, the Rivers and Elements are excellent choices. Every step up the ladder to the state-of-the-art Mythical Creatures Series delivers even more clarity, smoother and more natural sound, greater dynamic slam, and more nuanced expression from the music.

As you climb the ladder, you'll hear progressions in metal, from Solid Long-Grain Copper to Perfect-Surface Copper+, and PSS Silver; in Geometry, from Double- to Triple-Balanced; in insulation, from Foamed-PE to FEP Air-Tubes; and in Noise-Dissipation techniques, from Direction-Controlled Conductors to Carbon-Layer to Graphene/Carbon Mesh-Network and our patented Dielectric-Bias System. And finally, in our newest "Mythical" interconnects, ZERO-Tech, which eliminates the cable's characteristic impedance for an even more "invisible" sonic signature.

Throughout the line, the AQ performance-driven value system is always 100% evident. Climb until the incremental cost of the higher model is no longer the least expensive way to make the most improvement — don't be surprised if you find yourself at the top of the line before reaching that point!




Audio Interconnect Cables: Bridges & Falls

Tower and Golden Gate also available in Installer 5-Packs, page 59.

3.5mm Male Mini								
2-Male RCA								
3.5mm Female Mini								
5 Pin DIN								
Model	Tower	Evergreen	Golden Gate	Big Sur	Sydney	Yosemite ● 72v DBS	Angel ● 72v DBS	
Metal	Solid Long-Grain Copper (LGC)		Solid Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)			Solid Perfect-Surface Silver (PSS)	
Geometry	Asymmetrical Double-Balanced (Lower Impedance on Ground, Same Quality + and – Conductors)							
Dielectric	Foamed-Polyethylene				Polyethylene Air-Tubes	FEP Air-Tubes		
Noise-Dissipation	Direction-Controlled Conductors				Carbon-Based Noise-Dissipation			
Jacket	Black with White Stripes PVC	Green/Black Braid	Red/Black Braid	Brown/Black Braid	Dark Gray/Black Braid	Green/Black Braid	Silver/Black Braid	
Termination	Cold-Welded, Gold-Plated			Cold-Welded, Gold-Plated Pure Purple Copper	Cold-Welded, Direct-Silver Plated Pure Purple Copper	Cold-Welded, Direct-Silver Plated Pure Red Copper		
Application								
3.5mm Male Mini - 2-Male RCA				Yes				
2-Male RCA - 2-Male RCA				Yes				
3.5mm Male Mini - 3.5mm Male Mini				Yes				
3.5mm Male Mini - 3.5mm Female Mini	3m and 5m Only	No	2m and 5m Only	No	No	Yes		
3.5mm Male Mini - 5 Pin DIN	No			Yes				
5 Pin DIN - 5 Pin DIN	No			Yes				
5 Pin DIN - 2-Male RCA	No			Yes				
Meters	Feet	Retail	Retail	Retail	Retail	Retail	Retail	Retail
0.6m	1' 11"	71.95	124.95	192.35	277.95	365.95	742.95	1,519.95
1m	3' 3"	79.95	134.95	205.95	299.95	409.95	824.95	1,799.95
2m	6' 6"	99.95	159.95	239.95	354.95	519.95	-	2,499.95
3m	9' 10"	119.95	184.95	273.95	409.95	629.95	-	3,199.95
5m	16' 4"	159.95	234.95	341.95	519.95	849.95	-	4,599.95
8m	26' 2"	219.95	309.95	443.95	684.95	1,179.95	-	6,699.95
12m	39' 4"	299.95	409.95	579.95	904.95	1,619.95	-	9,499.95
16m	52' 5"	379.95	509.95	715.95	1,124.95	2,059.95	-	12,299.95
20m	65' 7"	459.95	609.95	851.95	1,344.95	2,499.95	-	15,099.95
Other prepared lengths use formula:	-	-	-	-	-	-	-	700.00/m + 1099.95

Audio Interconnect Cables: Rivers



Model	Chicago	Red River		Mackenzie		Yukon	
	RCA	RCA	XLR	RCA	XLR	RCA	XLR
Metal	Solid Long-Grain Copper (LGC)	Solid Perfect-Surface Copper+ (PSC+)					
Technology	N/A						
Ground Reference	All Cables Have Separate Ground-Reference Conductors Plus One Signal Conductor for RCA and Two for XLR						
Dielectric	Hard-Cell Foamed Polyethylene					Polyethylene Air-Tubes	
Noise-Dissipation	Direction-Controlled Conductors			Carbon Mesh-Network			
Jacket	Green/Black Braid	Red/Black Braid		Brown/Black Braid		Black/Dark Gray Braid	
Plug Barrels	N/A						
Cold-Welded Plugs	Gold-Plated			Hanging-Silver over Purple Copper			
Length (Pair)	Retail	Retail	Retail	Retail	Retail	Retail	Retail
0.5m (1' 7")	202.45	364.95	489.95	519.95	649.95	699.95	902.45
0.75m (2' 5")	211.20	382.45	509.95	544.95	679.95	749.95	963.70
1m (3' 3")	219.95	399.95	529.95	569.95	709.95	799.95	1,024.95
1.5m (4' 11")	237.45	434.95	569.95	619.95	769.95	899.95	1,147.45
2m (6' 6")	254.95	469.95	609.95	669.95	829.95	999.95	1,269.95
3m (9' 10")	289.95	539.95	689.95	769.95	949.95	1,199.95	1,514.95
4m (13' 1")	324.95	609.95	769.95	869.95	1,069.95	1,399.95	1,759.95
5m (16' 4")	359.95	679.95	849.95	969.95	1,189.95	1,599.95	2,004.95
6m (19' 8")	394.95	749.95	929.95	1,069.95	1,309.95	1,799.95	2,249.95
For longer lengths, please use formula:	35.00/pair m + 184.95/pair	70.00/pair m + 329.95/pair	80.00/pair m + 449.95/pair	100.00/pair m + 469.95/pair	120.00/pair m + 589.95/pair	200.00/stereo m + 599.95/pair	245.00/stereo m + 779.95/pair
Bulk Cables	Chicago	Red River		Mackenzie			
	Retail	Retail	Retail	Retail	Retail		
Unprepared by meter	17.50/m	35.00/m	40.00/m	50.00/m	60.00/m		

Note: Longer lengths formula pricing is **per pair**. For bulk cables, retail price is listed per meter.

Audio Interconnect Cables: Mythical Horses

In order to preserve ZERO-Tech's complete isolation between signal conductors, a Double-DBS pack is included for Pegasus XLR cables.



Model	Black Beauty*		Pegasus*	
	RCA	XLR	RCA 🟢 72v DBS	XLR Double 🟢 72v DBS
Metal	Solid Perfect-Surface Copper+ (PSC+)			
Technology	ZERO-Tech (No Characteristic Impedance)			
Ground Reference	All Cables Have Separate Ground-Reference Conductors Plus One Signal Conductor for RCA and Two for XLR			
Dielectric	Hard-Cell Foamed Polyethylene		Polypropylene Air-Tubes	
Noise-Dissipation	ZERO-Tech + Graphene/Carbon		72v DBS + ZERO-Tech Graphene/Carbon	
Jacket	Black/Black Braid		Brown/Black Braid	
Plug Barrels	Copper-Plated RF-Draining			
Cold-Welded Plugs	Hanging-Silver over Red Copper			
Length (Pair)	Retail	Retail	Retail	Retail
0.6m (24")	1,175.00	1,595.00	2,215.00	2,735.00
1m (3' 3")	1,295.00	1,795.00	2,495.00	3,095.00
1.5m (4' 11")	1,445.00	2,045.00	2,845.00	3,545.00
2m (6' 6")	1,595.00	2,295.00	3,195.00	3,995.00
3m (9' 10")	1,895.00	2,795.00	3,895.00	4,895.00
4m (13' 1")	2,195.00	3,295.00	4,595.00	5,795.00
5m (16' 4")	2,495.00	3,795.00	5,295.00	6,695.00
6m (19' 8")	2,795.00	4,295.00	5,995.00	7,595.00
For longer lengths, please use formula:	300.00/stereo m + 995.00/pair	500.00/stereo m + 1,295.00/pair	700.00/stereo m + 1,795.00/pair	900.00/stereo m + 2,195.00/pair

*ZERO-Tech interconnects (Black Beauty and Pegasus) are not suitable for use from a turntable.

Audio Interconnect Cables: Mythical Creatures

In order to preserve ZERO-Tech's complete isolation between signal conductors, a Double-DBS pack is included for XLR cables.



Model	ThunderBird*		FireBird*	Dragon*	
	RCA 🟢 72v DBS	XLR Double 🟢 72v DBS	RCA 🟢 72v DBS	RCA 🟢 72v DBS	XLR Double 🟢 72v DBS
Metal	Solid Perfect-Surface Copper+ (PSC+)		Solid Perfect-Surface Silver (PSS)		
Technology	ZERO-Tech (No Characterstic Impedance), ZERO-Tech interconnects are not suitable for use from a turntable				
Dielectric	FEP Air-Tubes				
Noise-Dissipation	ZERO-Tech + 72v DBS + Graphene/Carbon Mesh-Network			PSS Drains + ZERO-Tech + 72v DBS + Graphene/Carbon	
Jacket	Blue/Black Braid		Red/Black Braid	Black/Black Braid	
Plug Barrels	Copper-Plated RF-Draining		Silver-Plated RF-Draining		
Plug Contacts	Hanging-Silver over Red-Copper				
Length (Pair)	Retail	Retail	Retail	Retail	Retail
0.5m (20")	3,575.00	4,750.00	6,750.00	10,250.00	12,700.00
0.75m (30")	4,037.50	5,375.00	7,875.00	11,875.00	14,850.00
1m (40")	4,500.00	6,000.00	9,000.00	13,500.00	17,000.00
1.5m (5' 0")	5,425.00	7,250.00	11,250.00	16,750.00	21,300.00
2m (6' 7")	6,350.00	8,500.00	13,500.00	20,000.00	25,600.00
2.5m (8' 2")	7,275.00	9,750.00	15,750.00	23,250.00	29,900.00
3m (10' 0")	8,200.00	11,000.00	18,000.00	26,500.00	34,200.00
4m (13' 1")	10,050.00	13,500.00	22,500.00	33,000.00	42,800.00
5m (16' 5")	11,900.00	16,000.00	27,000.00	39,500.00	51,400.00
6m (19' 8")	13,750.00	18,500.00	31,500.00	46,000.00	60,000.00
Other prepared lengths, use formula:	1,850.00/stereo m + 2,650.00/pair	2,500.00/stereo m + 3,500.00/pair	4,500.00/stereo m + 4,500.00/pair	6,500.00/stereo m + 7,000.00/pair	8,600.00/stereo m + 8,400.00/pair

*ZERO-Tech interconnects (ThunderBird, FireBird, and Dragon) are not suitable for use from a turntable.

Audio Interconnect Accessories



FLX-Mini Splitter

3.5mm Mini Male Stereo >
(2) 3.5mm Female Stereo

Metal: Solid Perfect-Surface
Copper+ (PSC+)

Length: 15cm (6 in.)

Retail: 29.95



FLX-Mini/RCA Adaptor

3.5mm Mini Male Stereo <>
2 Female RCA (L & R)

Metal: Solid Perfect-Surface
Copper+ (PSC+)

Length: 15cm (6 in.)

Retail: 39.95



Hard Mini/RCA Adaptor

Hard Mini 3.5mm Male <>
2 Female RCA (L & R)

Retail: 22.95



FLX-X RCA Splitter

RCA Male >
2 Female RCA (L & R)
Metal: Solid Long-Grain
Copper (LGC)

Length: 15cm (6 in.)

Retail: 31.95



FLX-X RCA Splitter

RCA Female >
2 Male (L & R)
Metal: Solid Long-Grain
Copper (LGC)

Length: 15cm (6 in.)

Retail: 31.95

FLX RCA Splitters also available in Installer 5-packs,, page 59.



M21F-90 Adaptor

Female RCA to Right Angle
Male RCA

Retail: 16.95



Hard RCA Splitter

Male RCA > 2 Female RCA

Retail: 29.95



RCA - RCA Coupler

Female RCA <> Female RCA

Retail: 16.95



PreAmp Jumpers

Solid Perfect-Surface Copper+ (PSC+) conductors
in Polyethylene Air-Tubes. Replaces factory fitted
"U" jumpers on integrated amps and receivers.

Retail: 79.95

Subwoofer Cables



Model		Black Lab	Greyhound	Irish Red	Boxer	Husky	
						RCA 🟢 72v DBS	XLR 🟢 72v DBS
Metal		Solid Long-Grain Copper (LGC)	0.5% Silver	Solid 0.5% Silver	Solid 1.25% Silver	Solid 5% Silver	
Geometry		Symmetrical Coax	HyperLitz Coax	Symmetrical Coax	Double-Balanced	Triple-Balanced	
Dielectric		Foamed-Polyethylene			Polyethylene Air-Tubes		
Noise-Dissipation		Direction-Controlled Conductors			Carbon-Based Noise-Dissipation	Carbon-Based Multi-Layer Noise-Dissipation	
Jacket		Black with White Stripes CL3/FT4 Rated PVC	Light Gray-Striped White CL3/FT4 Rated PVC	Up to 5m: Red/Black Braid 8m and Longer CL3/FT4 Rated: Black PVC with Red Stripes	Up to 5m: Brown/Black Braid 8m and Longer CL3/FT4 Rated: Black PVC with Brown Stripes	Blue/Black Braid	
Termination		Cold-Welded, Gold-Plated			Cold-Welded, Hanging-Silver directly over pure Red Copper		
Application - Attached Chassis-Ground Connector							
RCA - RCA		Yes					
RCA/XLR Mixed		No			Yes		
XLR - XLR		No			Yes		
Meters	Feet	Retail	Retail	Retail	Retail	Retail	Retail
2m	6' 6"	84.95	114.95	184.95	379.95	709.95	829.95
3m	9' 10"	99.95	134.95	209.95	434.95	819.95	969.95
5m	16' 4"	129.95	174.95	259.95	544.95	1,039.95	1,249.95
8m	26' 2"	174.95	234.95	334.95	709.95	1,369.95	1,669.95
12m	39' 4"	234.95	314.95	434.95	929.95	1,809.95	2,229.95
16m	52' 5"	294.95	294.95	534.95	1,149.95	2,249.95	2,789.95
20m	65' 7"	354.95	474.95	634.95	1,369.95	2,689.95	3,349.95
Other prepared lengths use formula:		-	-	-	-	110.00/m + 489.95	140.00/m + 549.95

Note: Greyhound is optimized for custom-installation projects that require its thin, discreet design. It does not include a chassis-ground connector.

Tonearm Cables



Model		Golden Gate	Yosemite ● 72v DBS	Angel ● 72v DBS
Metal		Solid Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)	Solid Perfect-Surface Silver (PSS)
Dielectric		Foamed Polyethylene (PE)	FEP Air-Tubes	
Noise-Dissipation		Direction-Controlled Conductors	Carbon-Based Noise-Dissipation	
Capacitance		Less than 90pF/1.5M	Less than 90pF/1.5M	
Jacket		Red/Black Braid	Green/Black Braid	Silver/Black Braid
Meters	Feet	Retail	Retail	Retail
1.2m	3' 11"	-	889.95	1,679.95
1.5m	4' 11"	229.95	-	-

Turntable Cables



Model		Golden Gate	Yosemite 72v DBS	Angel 72v DBS
Metal		Solid Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)	Solid Perfect-Surface Silver (PSS)
Dielectric		Foamed-Polyethylene	FEP Air-Tubes	
Noise-Dissipation		N/A	Carbon-Based Noise-Dissipation	
Capacitance		Less than 90pF/1.5M		
Jacket		Red/Black Braid	Green/Black Braid	Silver/Black Braid
Meters	Feet	Retail	Retail	Retail
1.2m	3' 11"	-	889.95	1,679.95
1.5m	4' 11"	229.95	-	-



Vinyl and Headphone Accessories

GroundGoody Tonearm & Ground Wires

Unlike other ground wires that act as radio-frequency antennas, Black Hole, ThunderBird and Dragon GroundGoody's prevent hum while efficiently dissipating radio-frequency noise. GroundGoody's use premium conductor materials that are controlled for direction and cold-welded to Direct-Silver Plated #10 size spade lugs. Further, AudioQuest's RF/ND-Tech dissipates and cancels most induced radio-frequency noise.



Black Hole GroundGoody

Solid 6% Silver + Carbon RF Trap

Meters	Feet	Retail
0.75m	2' 6"	70.00
1.5m	4' 11"	85.00
2.25m	7' 6"	100.00
3m	9' 10"	110.00
5m	16' 4"	130.00



ThunderBird GroundGoody

Solid 6% Silver + RF/ND-Tech

Meters	Feet	Retail
0.6m	1' 11"	140.00
1m	3' 3"	155.00
1.5m	4' 11"	190.00
2m	6' 6"	210.00
3m	9' 10"	250.00



Dragon GroundGoody

Solid Perfect-Surface Silver + RF/ND-Tech

Meters	Feet	Retail
0.6m	1' 11"	300.00
1m	3' 3"	400.00
1.5m	4' 11"	550.00
2m	6' 6"	700.00
3m	9' 10"	1,000.00



Silver Anti-Static Record Brush

1,086,000 Highly Conductive Carbon Fibers with No-Resistance Path to Finger-Grip


Retail: 25.95



Gold Anti-Static Record Brush

1,248,000 Highly Conductive Carbon Fibers with No-Resistance Path to Finger-Grip

Retail: 49.95



HL-5 Headshell Leads

Silk-wrapped Linear-Crystal Copper Litz Conductors

Set of 4

Retail: 89.95



NightBird Headphone Cable

- Fits NightHawk and NightOwl Headphones
- Perfect-Surface Copper+ (PSC+)
- Noise-Dissipation
- Robust: Tested to 28,000 bends

3m (9' 10")

Retail: 139.95

New price effective now.



Perch Headphone Stand

- Easily and safely accommodates all headphones
- High-quality materials
- Heavy base provides stability

Retail: 129.95

HDMI Cables

Does AudioQuest offer the right HDMI cables for 4K TVs, 8K TVs, and beyond?

Yes! All of AudioQuest's new 48Gbps HDMI cables can transfer up to professional 10K Ultra-HD video. The impressive 48Gbps data rate is made possible by four balanced audio/video pairs capable of 12Gbps each. And, of course, the latest technology is backwards compatible with 4K displays.

Video Up to 10K

AudioQuest 48Gbps HDMI cables are completely backwards compatible with existing devices and have the bandwidth required for video with resolutions up to 10K and resolutions/refresh rates up to 8K/60 and 4K/120.

HDR (High Dynamic Range)

All AudioQuest HDMI cables support HDR (High Dynamic Range) and Dynamic HDR. HDR content expands the contrast of the image for blacker blacks and brighter whites/highlights as well as greater color saturation and brightness. In addition, 4K Ultra-HD content allows for a wider color range.

This combination of technologies results in more realistic HDR images with greater perceived depth. Dynamic HDR (HDR10+ and Dolby Vision, for example) enables frame-by-frame HDR optimization rather than HDR settings that are fixed for the entire program. The most prominent current HDR formats are HDR10, HDR10+, and Dolby Vision.

AudioQuest 18Gbps and 48Gbps HDMI cables are compatible with all varieties of HDR, which can be found on Ultra-HD Blu-ray, and all major streaming services, including Netflix, Amazon Prime, Disney+, Apple TV+, and others.

ARC (Audio Return Channel) and eARC (enhanced Audio Return Channel)

HDMI's Audio Return Channel (ARC) sends audio from a TV to a soundbar or AV receiver for greater simplicity and flexibility in system setup. Hardware's previous ARC capabilities max out at lossy (compressed) 5.1-channel surround sound.

Today's HDMI 2.1 hardware supports enhanced Audio Return Channel (eARC), which increases the digital bandwidth dramatically to support uncompressed and lossless high-resolution multichannel audio, including Dolby TrueHD and Atmos, and DTS-HD Master Audio and DTS:X.


8K-10K



48G_{bps}

Not only do all current generations of AudioQuest HDMI cables have the conductors and bandwidth required for eARC's enhanced sonic capabilities, but, in order to ensure superior audio performance, the ARC-channel conductor-pair is internally controlled for direction, running in the opposite direction from the 4 pairs that carry information to the TV.

Finally, AudioQuest's eARC-Priority models include 4 Silver-Plated Forest 48-level audio/video data pairs—but with a far superior single data pair for the TV's audio output. By upgrading the ARC data path only, audiophile quality is made possible at a fraction of the cost of upgrading all 5 data pairs.



Informative Packaging

AudioQuest has turbo-charged all of its HDMI packaging with easy-to-read icons and explanations of the design and material elements that define each cable and its place in the line. Comparing, contrasting and selecting the right cable is easier than ever before.



Solid Long-Grain Copper, Silver-Plated Copper, or Perfect-Surface Silver maximize Noise-Dissipation and overall performance.



Six Levels of Noise-Dissipation (ND) combat distortion caused by RF Noise contaminating digital and analog circuitry.



Because sound is where all the emotion and drama comes from, AQ's eARC channel gets 100% the same love as the four AV channels.



We've got your back. Performance backed by reliability.



HDMI: 0.75m-5m Cables

18Gbps 4K and 48Gbps 8K-10K

- All models use Solid Signal and Ground-Reference Conductors.
- All 19 conductors (A/V, eARC, Ground-Reference Drains, Control, Power) are Direction-Controlled.
- AudioQuest "48" HDMI cables have the bandwidth required for video with resolutions up to 10K, resolutions/refresh rates up to 8K/60 and 4K/120.
- For long-length models (Pearl 18, Forest 18, Root Beer 18, Cherry Cola 18, and Cherry Cola 48), see page 38.

BlueBerry 18, Pearl 48, Forest 48, and Cinnamon 48 available in Installer 5-Packs, page 60.



Model		BlueBerry 18	Pearl 48	Forest 48	Cinnamon 48	Carbon 48	Vodka 48	ThunderBird 48	FireBird 48 72v DBS	Dragon 48 72v DBS
A/V Conductor		Solid Long-Grain Copper (LGC)		0.5% Silver	1.25% Silver	5% Silver	10% Silver	10% Silver	100% PSS Silver	100% PSS Silver
eARC Conductor		Solid Long-Grain Copper (LGC)		0.5% Silver	1.25% Silver	5% Silver	10% Silver	10% Silver	100% PSS Silver	100% PSS Silver
Ground Reference		Tinned Copper			0.5% Silver	1.25% Silver	5% Silver	10% Silver	10% Silver	100% PSS Silver
Noise-Dissipation		All 19 Conductors Direction-Controlled			Carbon + Metal + Direction	Carbon + Metal + Direction	Carbon + Metal + Direction	Graphene + Global Carbon + Direction	72v DBS, Graphene + Global Carbon + Direction	
Jacket 0.75-2.25m		CMG (CL3/FT4) PVC			Red Braid	Carbon Braid	Blue Braid	Blue Braid	Red Braid	Black Braid
Jacket 3.0m +		CMG (CL3/FT4) PVC								
Meters	Feet	Retail	Retail	Retail	Retail	Retail	Retail	Retail	Retail	Retail
0.75m	2' 6"	39.95	51.95	109.95	219.95	359.95	659.95	1,145.00	1,845.00	2,995.00
1.5m	5' 0"	49.95	64.95	142.95	259.95	439.95	799.95	1,495.00	2,495.00	3,795.00
2.25m	7' 6"	64.95	79.95	164.95	309.95	529.95	949.95	1,695.00	3,095.00	4,795.00
3m	10' 0"	74.95	99.95	199.95	359.95	639.95	1,099.95	1,995.00	3,795.00	5,795.00
5m	16' 5"	129.95	259.95	419.95	629.95	-	-	-	-	-

HDMI: Long-Length Cables

18Gbps 4K and 48Gbps 8K-10K

- Pearl 18 and Forest 18 employ active frequency equalization to enable 18Gbps performance for lengths up to 50ft (15m).
- Root Beer 18 active optical cable provides 18Gbps performance for lengths up to 100ft (30m).
- Certified Ultra High Speed by HDMI Licensing, Cherry Cola 48 active optical cables provide 48Gbps performance for lengths up to 50ft (15m).



Model		Pearl 18 Long Distance	Forest 18 Long Distance	Root Beer 18 Optical	Cherry Cola 48 Optical
A/V Conductor		LGC	0.5% Silver	Quartz-Glass	Quartz-Glass
eARC Conductor		LGC	0.5% Silver	LGC	0.5% Silver
Ground Reference		Tinned Copper			0.5% Silver
Noise-Dissipation		All 19 Conductors Direction-Controlled		Galvanic Isolation + Direction	Carbon + Galvanic Isolation
Jacket		CMG (CL3/FT4) PVC			
Meters	Feet	Retail	Retail	Retail	Retail
5m	16' 5"	-	-	799.95	1,650.00
7.5m	25' 0"	409.95	639.95	-	-
10m	33' 0"	499.95	779.95	899.95	1,850.00
12.5m	41' 0"	619.95	879.95	-	-
15m	50' 0"	749.95	-	999.95	2000.00
20m	66' 0"	-	-	1,095.95	-
25m	82' 0"	-	-	1,199.95	-
30m	100' 0"	-	-	1,299.95	-

HDMI: eARC-Priority Cables

48Gbps 8K-10K


- When using a TV's eARC/ARC output as the audio source to a soundbar or an A/V receiver or an amplifier's ARC input, eARC-Priority models offer their namesake models ARC performance for less than half the price of the namesake model. This is possible because the cables' unused A/V data pairs "only" offer better-than-Cinnamon 48 performance.



Model		Vodka eARC Priority 48	ThunderBird eARC Priority 48	Dragon eARC Priority 48 72v DBS
A/V Conductor		0.5% Silver	0.5% Silver	0.5% Silver
eARC Conductor		10% Silver	10% Silver	100% PSS Silver
Ground Reference		5% Silver eARC	10% Silver eARC	100% PSS Silver eARC
Noise-Dissipation		Carbon + Metal + Direction	Graphene + Global Carbon + Direction	72v DBS, Graphene + Global Carbon + Direction
Jacket 0.75-2.25m		Blue Braid	Blue Braid	Black Braid
Jacket 3.0m		CMG (CL3/FT4) PVC		
Meters	Feet	Retail	Retail	Retail
0.75m	2' 6"	299.95	595.00	1,395.00
1.5m	5' 0"	359.95	745.00	1,695.00
2.25m	7' 6"	409.95	895.00	1,895.00
3m	10' 0"	469.95	995.00	2,295.00

HDMI Accessories


Certain HDMI Adaptors available in Installer 5-Packs, page 60.



HDMI 90°/W Adaptor

Wide Side [W]
Right Angle Bend


Retail: 25.95



HDMI 90°/N Adaptor

Narrow Side [N]
Right Angle Bend


Retail: 25.95



HDMI 90° NU/R Flat Adaptor

Narrow Up [NU]
Bends Right

Retail: 25.95



HDMI 90° NU/L Flat Adaptor

Narrow Up [NU]
Bends Left

Retail: 25.95



Mini Display Port to HDMI 4K Adaptor

Retail: 49.95



DVI-IN > HDMI-OUT Adaptor

F-DVI to M-HDMI

Retail: 49.95



HDMI 48G A <=> A Coupler

Female HDMI to Female HDMI

Retail: 25.95

Digital-Audio Interconnect Cables

Perfect Sound Forever?

That bold statement introduced CD players to the world back in 1983. Those claiming perfection believed ones and zeros to be so beyond reproach that traditional concerns about the integrity of the playback system had become irrelevant overnight. But the CD wasn't close to perfect. Those who listened quickly figured out that the equipment and cables in the audio system mattered every bit as much as they had in the analog era.


However, to this day, stating the truth in public that digital-audio cables can make minor to even staggering differences in an audio system's performance is like yelling, "food fight" in a crowded cafeteria—you'd better get ready to duck because there will be incoming.

Yet, the same kind of music lovers and listeners who heard the CD for what it is also know that soul-satisfying digital-audio playback requires the best digital-audio cables. And the best cables reduce the most noise and distortion.

Today, there are more ways to consume digital audio than ever. Many gave up silver discs for the convenience of inferior-sounding compressed downloads, and now we've seemingly got the best of both convenience and performance: We are able to stream high-res files to our phones and mobile devices and into our homes.

AudioQuest's digital-audio cables employ all of our proven techniques for minimizing noise and distortion: better metals, better geometry, better dielectric, Dielectric-Bias System (DBS), Noise-Dissipation, Direction-Controlled Conductors, and other ingredients needed for optimizing each specific application.

The digital future is brighter and more beautiful sounding than ever...*if* your digital-audio cables are capable of treating fragile audio data as it deserves to be treated—that is, with the love and respect reserved for music.



USB Cables

All USB C > A, USB C > B, USB C > C, & Micro B cables are available in 0.75m and 1.5m lengths only. For optimal sonic performance, all AudioQuest USB cables are Hi-Speed with a maximum signaling rate of 480Mbps.

USB A						
USB B	 A > B	 A > B	 A > B	 A > B	 A > B	 A > B
USB C		 C > A C > B C > C	 C > A C > B C > C	 C > A C > B C > C		 C > A C > B C > C
Micro B 2.0						 Micro B 2.0 > A

Model		Pearl	Forest	Cinnamon	Carbon	Coffee ● 72v DBS	Diamond ● 72v DBS
Metal (USB A>B)		Solid Long-Grain Copper (LGC)	Solid 0.5% Silver	Solid 1.25% Silver	Solid 5% Silver	Solid 10% Silver	Solid 100% Perfect-Surface Silver (PSS)
Metal (All Other Versions)		Long-Grain Copper (LGC) Semi-Solid Concentric	0.5% Silver Semi-Solid Concentric	1.25% Silver Semi-Solid Concentric	5% Silver Semi-Solid Concentric	N/A	Solid 100% Perfect-Surface Silver (PSS)
Dielectric		Hard-Cell Foam					
Noise-Dissipation		Direction-Controlled Conductors			Carbon-Based Noise-Dissipation for USB A > B and USB 3.0 A > 3.0 Micro		
Jacket		Black PVC with White Stripes	Black PVC with Green Stripes	USB A>B: Red/Black Braid All others: Black PVC with Red Stripes	Gray/Black Braid	Brown/Black Braid	USB A>B: Silver/Black Braid All others: Black PVC with Silver Stripes
Available Configurations		USB A > B	USB A > B USB C > A USB C > B USB C > C	USB A > B USB C > A USB C > B USB C > C	USB A > B USB C > A USB C > B USB C > C	USB A > B	USB A > B USB Micro B 2.0 > A USB C > A USB C > B USB C > C
Meters	Feet	Retail	Retail	Retail	Retail	Retail	Retail
0.75m	2' 5"	84.95	134.95	179.95	329.95	679.95	1,199.95
1.5m	4' 11"	99.95	164.95	229.95	399.95	799.95	1,399.95
3m (A>B Only)	9' 10"	139.95	229.95	309.95	574.95	1,099.95	1,949.95
5m (A>B Only)	16' 4"	189.95	309.95	429.95	799.95	1,499.95	-

USB Connector Applications

<p>USB A</p>   <p>For all devices that use the original USB connection.</p>	<p>USB B</p>   <p>Typically for use with computer peripherals, such as hard drives and network devices, as well as digital-audio components, including DACs and streamers.</p>	<p>USB C</p>   <p>Typically for use with newer devices, including desktops, laptops, smartphones, tablets, game consoles, hard drives, and more.</p>	<p>Micro B 2.0</p>   <p>Typically for use with compact and mobile devices, including Android smartphones and computer peripherals.</p>
--	---	---	---

USB Accessories



USB 3.1 Gen 2 A → C Adaptor

Retail: 31.95



USB B ↔ Micro B 2.0 Adaptor

Retail: 24.95



USB Mini B ↔ Micro B 2.0 Adaptor

Retail: 22.95



JitterBug FMJ

USB 2.0 Noise Filter (Data & Power)

Retail: 89.95



Optical Cables



Optical Mini Adaptor

Retail: 17.95

Model		Pearl	Forest	Cinnamon	Carbon	Vodka
Conductors		Low-Dispersion Fiber	Lower-Dispersion High-Purity Fiber	Lowest-Dispersion Highest-Purity Fiber	19 Narrow-Aperture Highest-Purity Synthetic Fibers	217 Narrowest-Aperture Highest-Purity Synthetic Fibers
Jacket		Black with Gray Stripes In-Wall Rated PVC	0.75m and 1.5m: Green/Black Braid 3m and Longer: In-Wall Rated PVC	0.75m and 1.5m: Red/Black Braid 3m and Longer: In-Wall Rated PVC	0.75m to 5m: Gray/Black Braid 8m and Longer: In-Wall Rated PVC	0.75m to 5m: Blue/Black Braid 8m and Longer: In-Wall Rated PVC
Meters	Feet	Retail	Retail	Retail	Retail	Retail
0.75m	2' 5"	54.95	89.95	139.95	229.95	479.95
1.5m	4' 11"	69.95	109.95	179.95	319.95	589.95
3m	9' 10"	99.95	149.95	189.95	479.95	819.95
5m	16' 4"	139.95	209.95	259.95	709.95	1,099.95
8m	26' 2"	189.95	289.95	379.95	1,049.95	1,699.95
12m	39' 4"	259.95	399.95	549.95	1,479.95	2,299.95
16m	52' 5"	329.95	499.95	799.95	1,919.95	2,899.95

Digital Coax Cables

Forest available in Installer 5-Packs, page 60.



RCA > BNC Adaptor

Recommended for Forest through Diamond.
Fully acceptable for Wild and WEL when BNC needed only on one end, or to keep an RCA/RCA cable universally useful.

Retail: 24.95



Model		Forest	Cinnamon	Carbon	Coffee 72v DBS	Diamond 72v DBS	WEL Signature
Metal		Solid 0.5% Silver	Solid 1.25% Silver	Solid 5% Silver	Solid 10% Silver	Solid 100% Perfect-Surface Silver (PSS)	
Gauge		24 AWG		21 AWG			
Dielectric		Hard-Cell Foam					
Noise-Dissipation		Metal Layer + Directional RF Draining		Carbon-Based Mesh-Network + Directional RF Draining			Multi Carbon-Based Mesh-Networks
Jacket		Black PVC/ Green Stripes	Red/Black Braid	Black/Dark Gray Braid	Brown/Black Braid	Silver/Black Braid	Black Braid
Terminations		Cold-Welded, Gold-Plated		Cold-Welded, Hanging-Silver Directly Over Pure Purple Copper	Cold-Welded, Hanging-Silver Directly Over Pure Red Copper		Direct-Silver Plated
Shield		Foil + Tinned Braid	Foil + Silver-Plated Braid		Silver-Plated Braid		Copper Foil + 100% PSS-Silver Spiral
Application							
RCA		Yes					
BNC		No (Requires Female RCA to Male BNC adaptor)					Yes
Meters	Feet	Retail	Retail	Retail	Retail	Retail	Retail
0.75m	2' 5"	66.95	159.95	449.95	995.00	1,820.00	4,785.00
1.5m	4' 11"	79.95	189.95	554.95	1,265.00	2,495.00	6,270.00
3m	9' 10"	109.95	239.95	764.95	1,805.00	3,845.00	9,240.00
5m	16' 4"	149.95	319.95	1,044.95	-	-	-
Other prepared lengths use formula:		-	-	140.00/m + 344.95	360.00/m + 725.00	900.00/m + 1,145.00	1,980.00/m + 3,300.00


AES/EBU (Balanced) Cables



Model		Carbon	Wild	WEL Signature
Metal		Solid 5% Silver	Solid 100% Perfect-Surface Silver (PSS)	
Gauge		24 AWG	21 AWG	
Dielectric			Hard-Cell Foam	
Noise-Dissipation		Carbon-Based Multi-Layer Noise-Dissipation	Carbon-Based Multi-Layer Noise-Dissipation, 2 x EMI Absorption	Carbon-Based Multi-Layer Noise-Dissipation, 3 x EMI Absorption
Jacket		Dark Gray/Black Braid	Navy Blue Braid	Black Braid
Termination		Cold-Welded, Hanging-Silver Directly Over Pure Purple Copper	Direct-Silver Plated	
Shield		Foil + Tinned Braid	Foil + Silver-Plated Spiral	
Meters	Feet	Retail	Retail	Retail
0.75m	2' 6"	584.95	3,675.00	6,262.50
1.5m	4' 11"	689.95	4,800.00	8,175.00
2.25m	7' 6"	794.95	5,925.00	10,087.50
3.0m	9' 10"	899.95	7,050.00	12,000.00
4m and longer cables use formula:		140.00/m + 479.95	1,500.00/m + 2,550.00	2,550.00/m + 4,350.00

Ethernet Cables (RJ/E)

Pearl, Forest and Cinnamon available in Installer 5-Packs, page 60.



Model		Pearl	Forest	Cinnamon	Vodka	Diamond 72v DBS
Metal		Solid Long-Grain Copper (LGC)	Solid 0.5% Silver	Solid 1.25% Silver	Solid 10% Silver	Solid 100% Perfect-Surface Silver (PSS)
Dielectric		Geometry Stabilizing Solid High-Density Polyethylene				
Noise-Dissipation		Direction-Controlled Conductors			Carbon-Based Noise-Dissipation	
Jacket		CMG (CL3 & FT4) Rated Black PVC with Gray Stripes	CMG (CL3 & FT4) Rated Black PVC with Green Stripes	Up to 3.0m: Red/Black Braid 5.0m and Longer: CMG (CL3 & FT4) Rated Black PVC with Red Stripes	Up to 3.0m: Blue/Black Braid 5.0m and Longer: CMG (CL3 & FT4) Rated Black PVC with Blue Stripes	Silver/Black Braid
Termination		Gold-Plated Nickel Connectors with 100% Shield Coverage			Precision-Made Low-Loss Ultra-Wide Bandwidth Telegärtner Connectors with 100% Shield Coverage and Strain Relief	
Meters	Feet	Retail	Retail	Retail	Retail	Retail
0.75m	2' 5"	74.95	129.95	189.95	859.95	2,499.95
1.5m	4' 11"	94.95	159.95	229.95	1,099.95	3,499.95
3m	9' 10"	129.95	219.95	299.95	1,499.95	5,299.95
5m	16' 4"	189.95	299.95	399.95	2,099.95	7,399.95
8m	26' 2"	269.95	399.95	569.95	2,999.95	11,399.95
12m	39' 4"	369.95	559.95	789.95	4,299.95	16,999.95

Accessories



72v DBS Pack with RF Noise-Trap

- Niagara Custom-Built Noise-Trap Dissipates RF Noise
- 72v Dielectric-Bias System Reduces Dielectric-Noise

Single

Retail: 219.95

Double

Retail: 359.95



SorboGel Q-Foot



Foot Tray

SorboGel Q-Feet System

Set of 4 energy-absorbing feet each with a "tray" which improves performance and protects furniture. Each foot supports up to 4 kg. (8 lbs.).

Retail: 229.95




Fog Lifters

For use with audio and AC power cables, Fog Lifters reduce the RF noise that capacitively couples into cables through all solid materials (carpet, stone, wood, etc.)

Set of 8

Retail: 199.95



Cable Clips

Custom-made clips for the following multi-construction cables:

AC Power Cables:

- Thunder, Tornado, Hurricane, FireBird, Dragon

Speaker Cables:

- **Folk Hero:** Lone Ranger, BigFoot, Brave Heart
- **Mythical Creatures:** ThunderBird, FireBird, Dragon

Interconnect Cables - Mythical:

- **RCA:** ThunderBird, FireBird, Dragon
- **XLR:** ThunderBird, FireBird, Dragon

Set of 6

Retail: 13.00



CleanScreen Kit

5 oz. (150 ml.) Bottle + 0.3 oz. (10 ml.) Spray + Retractable Brush

Retail: 31.95




CleanScreen Pack


6 oz. (200 ml.) Bottle + Microfiber Cleaning Cloth

Retail: 24.95

Accessories



RCA $\leftrightarrow$ BNC Adaptor
Female RCA to/from Male BNC
Retail: 24.95



F > RCA Male Adaptor
Female RCA to Male RCA
Retail: 16.95



F > BNC Male Adaptor
75Ω
Retail: 24.95




F > 2F Splitter
3GHz 75Ω
Retail: 25.95




F > 4F Splitter
3GHz 75Ω
Retail: 33.95



F $\leftrightarrow$ F
75Ω Coupler
Retail: 11.95



F-90°
Male $\leftrightarrow$ Female Adaptor
Retail: 16.95



Sorbothane Self-Stick Sheet
6" x 6" x 0.10" sheet can be cut to size to damp anything, especially effective on top surface of speaker stands.
Retail: 64.95



Binding-Post Wrench
Real tool-quality double-ended nut driver with metal inserts.
Fits 7/16" and 1/2" binding posts.
Retail: 29.95



Accessories

RCA-300

Fits cables up to 7.0mm O.D.
Gold-Plated. Requires soldering.



#300 Male
Set of 4
Retail: 77.00

#300 Female
Set of 4
Retail: 77.00

RCA-800

Fits cables up to 9.0mm O.D.
Direct-Silver Plated. Requires soldering.



#800 Male
Set of 4
Retail: 100.00

XLR Connectors

Fits cables up to 9.0mm O.D.
Direct-Silver Plated. Requires soldering.



#81 Male
Pair
Retail: 150.00

#80 Female
Pair
Retail: 150.00

Right-Angle F and RCA Plugs

Fits cables up to 7.5mm O.D.
Gold-Plated. Requires soldering.



F-90°
Pair
Retail: 64.00

RCA-90°
Pair
Retail: 64.00

AQ Silver Solder

Easy to use. Clearly sounds better.



1lb. Solder
Retail: 450.00

1/4 lb. Solder
Retail: 130.00

Accessories



RJ45 Noise-Stopper Caps

AQ Noise-Stopper Caps fit over unused RJ45 inputs or outputs, preventing RFI and EMI noise from entering the active circuit. Noise-Stopper Caps also protect against dust and corrosion.

Set of 4
Retail: 49.95



USB-A Noise-Stopper Caps

AQ Noise-Stopper Caps fit over unused USB inputs or outputs, preventing RFI and EMI noise from entering the active circuit. Noise-Stopper Caps also protect against dust and corrosion.


Set of 4
Retail: 49.95



HDMI Noise-Stopper Caps

AQ Noise-Stopper Caps fit over unused HDMI inputs or outputs, preventing RFI and EMI noise from entering the active circuit. Noise-Stopper Caps also protect against dust and corrosion.

Set of 4
Retail: 49.95



XLR Input (Female) Noise-Stopper Caps

Prevents RF, WiFi, Cellular, etc., energy from entering XLR inputs and compromising performance.

Pair
Retail: 49.95



XLR Output (Male) Noise-Stopper Caps

Prevents RF, WiFi, Cellular, etc., energy from entering XLR outputs and compromising performance.

Pair
Retail: 49.95



RCA Noise-Stopper Caps

Prevents RFI and EMI noise from entering RCA sockets. 23 internal springs ensure universal fit.

Set of 10
Retail: 79.95



7.	12	13	14	15	16	17	18
8.	19	20	21	22	23	24	25
9.	26	27	28	29			

GLOBAL MULTIMODAL FREIGHT SERVICES



March 2024						
9.					1	2 3
10.	4	5	6	7	8	9 10
11.	11	12	13	14	15	16 17
12.	18	19	20	21	22	23 24
13.	25	26	27	28	29	30 31

END TO END SUPPLY CHAIN VISIBILITY

April 2024						
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30					

W.EMOTRANS.COM

Instant Tool-less Connectors (ITC) for Analog-Audio, Mini-Coax, and RG6 Cables on Spools



18 AWG Connectors and Cables for Video, RF, Digital, Subwoofer



ITC-18G/F
Each
Retail: 2.25
Set of 50



ITC-18G/BNC
Each
Retail: 5.00
Set of 50

		HD6 Pearl	HD6 Forest	HD6 Carbon
Metal		Solid Long-Grain Copper (LGC)	Solid 0.5% Silver	Solid 5% Silver
Shield		3-Layer Shield: Foil + 90% Braid + Foil		4-Layer Shield: Carbon-Loaded PE + Foil + 90% Braid + Foil
CL3 Jacket Color Choices		Dark Gray or White	White	Gray or White
Meters	Feet	Retail	Retail	Retail
76m	250'	-	-	12.00/ft
152m	500'	4.00/ft	6.60/ft	-

24 AWG Connectors and Cables for Analog-Audio and Video



ITC-24G/BNC
Each
Retail: 5.00
Set of 50

		ITA-1/1	ITA-3/3	ITA-5/5
Center Conductor Metal		Solid Long-Grain Copper (LGC)	Solid Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)
Neg. Conductor/Shield		LGC HyperLitz	PSC HyperLitz	PSC+ HyperLitz
CL3 Jacket		Blue (Pair)	Green (Pair)	Dark Gray (Pair)
Meters	Feet	Retail	Retail	Retail
15.2m	50'	7.00/ft	-	-
76m	250'	-	12.00/ft	20.00/ft
152m	500'	-	-	-

Color Bands for 18 and 24 AWG ITC Connectors

Silicon rubber bands fit all ITC connectors—even after they're attached to the cable—for easy cable identification. Available in bags of 20. One color per bag - no mixed colors.

Bag of 20
Retail: 20.00



Red

Blue

Yellow

Purple

Green



Black

CL3/FT4 In-Wall Rated Bulk Speaker Cables

16/2 + 14/2



16/4 + 14/4



Model		SLiP/DB-16/2	SLiP/DB-16/4	SLiP/DB-14/2	SLiP/DB-14/4	SLiP/MAX-14/2	SLiP/MAX-14/4
Metal		Semi-Solid Concentric Long-Grain Copper (LGC)				Semi-Solid Concentric Perfect-Surface Copper+ (PSC+) and Long-Grain Copper (LGC)	
Gauge		16 AWG	16 AWG	14 AWG			
Jacket		White PVC with Silver Stripes or Gray PVC with Red Stripes				Gray with Black Stripes	
Meters	Feet	Retail	Retail	Retail	Retail	Retail	Retail
15.2m	50'	3.00/ft	-	-	-	-	-
30m	100'	3.00/ft	3.65/ft	4.00/ft	6.50/ft	-	-
50m	164'	-	-	-	-	28.00/ft	48.00/ft
76m	250'	3.00/ft	3.65/ft	4.00/ft	6.50/ft	-	-
100m	328'	-	-	-	-	28.00/ft	48.00/ft
152m	500'	3.00/ft	3.65/ft	4.00/ft	6.50/ft	-	-





Model		Rocket 11	Rocket 22	Rocket 33	Rocket 44	Rocket 88
Metal		Semi-Solid Concentric LGC	Semi-Solid Concentric PSC and LGC	Solid PSC and LGC	Solid PSC+ and PSC	Solid PSC+
Gauge		14 AWG	12 AWG	14 AWG	13 AWG	
Geometry		Double-Spiral		Double Star-Quad		
Dielectric		PVC		Foamed-Polyethylene (For All Positive Conductors)		
Noise-Dissipation		Directionally-Controlled Conductors		Carbon-Based Noise-Dissipation		
Jacket		Black or White PVC	Black or White PVC	Black PVC with Red Stripes	Black PVC with Gloss Black Matte Stripes	Black PVC with Green Stripes
Single BiWire Capable		Yes				
Meters	Feet	Retail	Retail	Retail	Retail	Retail
50m	164'	7.50/ft	25.00/ft	32.50/ft	52.50/ft	62.50/ft
100m	328'	7.50/ft	25.00/ft	32.50/ft	-	-

Note: For bulk cables, retail price is listed per foot.

Termination "Pants" available for Rocket Series cables on page 56.

Bulk Speaker Cables — Not In-Wall Rated



Model		G2	X2	Q2
Metal		Semi-Solid Concentric Long-Grain Copper (LGC)		
Gauge		16 AWG	14 AWG	15 AWG
Jacket		Dark Gray PVC or Off-White PVC	Dark Gray PVC or Off-White PVC	Black PVC or White PVC
Meters	Feet	Retail	Retail	Retail
9.1m	30'	99.95	143.95	-
15.2m	50'	164.97	239.98	-
30m	100'	329.95	479.95	-
100m	328'	1,082.23	1,574.23	2,624.00

Note: G2, X2, and Q2 bulk lengths are sold in a retail box.



Model		Rocket 33	Rocket 44	Rocket 88
Metal		Solid Perfect-Surface Copper (PSC) and Long-Grain Copper (LGC)	Solid Perfect-Surface Copper+ (PSC+) and Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)
Gauge		14 AWG	13 AWG	
Geometry		Double Star-Quad		
Dielectric		Foamed-Polyethylene (For All Positive Conductors)		
Noise-Dissipation		Carbon-Based Noise-Dissipation		
Jacket		Red/Black Braid	Silver/Black Braid	Green/Black Braid
Single BiWire Capable		Yes		
Meters	Feet	Retail	Retail	Retail
50m	164'	32.50/ft	52.50/ft	62.50/ft
100m	328'	32.50/ft	-	-

Note: For bulk cables, retail price is listed per foot.

Termination "Pants" available for Rocket Series cables on page 56.

SureGrip® Speaker Connectors

Fits up to 9 AWG Speaker Cables



SureGrip® 100 Banana

Direct-Silver or Gold over Beryllium-Copper

Set of 8
Retail: 124.95

Set of 12
Retail: 184.95

Bag of 80
Retail: 1,249.50



SureGrip® 100 Multi-Spade

Direct-Silver or Gold Plating over Purple Copper

Set of 8
Retail: 124.95

Set of 12
Retail: 184.95



Allen Tool
Included



SureGrip® 300 Banana

Direct-Silver or Gold over Beryllium-Copper

Set of 4
Retail: 124.95

Tray of 40
Retail: 1,249.50



SureGrip® 300 Multi-Spade

Direct-Silver or Gold Plating over Purple Copper

Set of 4
Retail: 124.95

Tray of 40
Retail: 1,249.50



Allen Tool
Included



Black
Labels
Included



500 Series Banana or Multi-Spade

Hanging-Silver directly over pure Purple Copper or Hanging-Gold directly over pure Purple Copper. Silver or Gold.

507 - Sized for 7 AWG (same as original 500 connector)

Set of 4
Retail: 269.95

Set of 6
Retail: 409.95



Combination
Allen and
Phillips Tool
Included



1000 Series Banana or Multi-Spade

Hanging-Silver directly over pure Red Copper.

1007 - Sized for 7 AWG (same as original 1000 connector)

Set of 4
Retail: 399.95

Set of 6
Retail: 599.95



Combination
Allen and
Phillips Tool
Included

Spade, Pin, and Banana Connectors

Supplied with Red and Black "Boots" (except 1002)




 <p>1410/S 1410/G Direct-Silver Plated and Direct-Gold Plated Up to 14 AWG 3/16" Binding Post</p> <p>Set of 4 Retail: 80.00</p>	 <p>1010/S 1010/G Direct-Silver Plated and Direct-Gold Plated Up to 10 AWG 3/16" Binding Post</p> <p>Set of 4 Retail: 100.00</p>	 <p>1414/S 1414/G Direct-Silver Plated and Direct-Gold Plated Up to 14 AWG 1/4" Binding Post</p> <p>Set of 4 Retail: 80.00</p>
 <p>1014/S 1014/G Direct-Silver Plated and Direct-Gold Plated Up to 10 AWG 1/4" Binding Post</p> <p>Set of 4 Retail: 80.00</p>	 <p>1056/S 1056/G Direct-Silver Plated and Direct-Gold Plated Up to 10 AWG 5/16" Binding Post</p> <p>Set of 4 Retail: 80.00</p>	 <p>P10M/S P10M/G Hanging-Silver and Hanging Gold Up to 10 AWG 1/4" and 5/16" Binding Post</p> <p>Set of 4 Retail: 65.00</p>
 <p>BP10/S BP10/G Direct-Silver Plated and Direct-Gold Plated Up to 10 AWG Bendable Pin Fits Almost Everything</p> <p>Set of 4 Retail: 50.00</p>	 <p>Crimp-BFA/S Crimp-BFA/G Direct-Silver Plated and Direct-Gold Plated Up to 9 AWG Standard Banana Jack</p> <p>Set of 4 Retail: 50.00</p>	 <p>1002/S 1002/G Direct-Silver Plated and Direct-Gold Plated Up to 9 AWG Standard Banana Jack</p> <p>Set of 4 Retail: 130.00</p>

Termination "Pants" for Speaker Cables



	Full-Range	Single Bi-Wire
Model	Retail	Retail
Rocket 11 Pants set/4	16.95	22.95
Rocket 22 Pants set/4	16.95	22.95
Rocket 33 Pants set/4	16.95	22.95
Rocket 44 Pants set/4	16.95	22.95
Rocket 88 Pants set/4	16.95	22.95

CL3/FT4 In-Wall Rated Bulk Audio Interconnect Cables & Plugs



Model		Chicago	Red River	Mackenzie
Metal		Solid Long-Grain Copper (LGC)	Solid Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)
Geometry		Double-Balanced	Triple-Balanced (Separate Ground-Reference Conductor)	
Dielectric		Hard-Cell Foam		
Noise-Dissipation		Direction-Controlled Conductors		Carbon-Based Multi-Layer Noise-Dissipation
Jacket		Green/Black Braid or CL3 Black PVC with Green Stripes	Red/Black Braid or CL3 Black PVC with Red Stripes	Brown/Black Braid or CL3 Black PVC with Brown Stripes
Meters	Feet	Retail	Retail	Retail
50m	164'	-	-	60.00/m
100m	328'	17.50/m	40.00/m	-

Note: For bulk cables, retail price is listed per meter.

Field Termination Connectors

To download Chicago, Red River, and Mackenzie cable termination manuals, go to <https://www.audioquest.com/pages/installation-guides>



Chicago RCA

Gold-Plated

Set of 4
Retail: 99.95



Red River RCA

Gold-Plated

Set of 4
Retail: 99.95



Red River XLR

Gold-Plated

Set of 4
Retail: 199.95



Mackenzie RCA

Hanging-Silver over Purple Copper

Set of 4
Retail: 139.95







Mackenzie XLR

Hanging-Silver over Purple Copper

Set of 4
Retail: 244.95

CL3/FT4 In-Wall Rated Bulk CAT6 and CAT7 Ethernet Cables & Plugs

						
		CAT 600 DCP	CAT 600 FMJ	CAT 700 Pearl	CAT 700 Forest	CAT 700 Carbon
Metal		Solid Long-Grain Copper (LGC)			Solid 0.5% Silver	Solid 5% Silver
Shield		N/A	Overall Shield	Overall Shield and Individual Pairs		
Gauge		23 AWG				
Dielectric		Solid High-Density Polyethylene		Hard-Cell Foam		
Jacket		CMG (CL3/FT4) Rated White PVC with Black Stripes or Dark Gray PVC with White Stripes	CMG (CL3/FT4) Rated White or Black PVC with Blue Stripes	CMG (CL3/FT4) Rated White or Medium Gray PVC with Yellow PVC	CMG (CL3/FT4) Rated White PVC with Green Stripes	CMG (CL3/FT4) Rated Dark Gray PVC with Black Stripes
Meters	Feet	Retail	Retail	Retail	Retail	Retail
152m	500'	-	1.90/ft	3.20/ft	5.75/ft	23.00/ft
304m	1000'	1.40/ft	-	-	-	-

Note: For bulk cables, retail price is listed per foot.

CAT6/7 Connectors

To download CAT600 and CAT700 cable termination manuals, go to <https://www.audioquest.com/pages/installation-guides>



Load Bar Connector Boot

CAT600 DCP Connectors

Fits all standard Cat6 cables

Each
Retail: 2.50



Load Bar Connector Boot

CAT600 FMJ Connectors

Fits all standard shielded Cat6 cables

Each
Retail: 5.00



Load Bar Connector Boot

CAT700 Connectors

Fits all standard Cat6a/Cat7 cables

Each
Retail: 5.00



CAT700 Telegärtner Male Connector

Fits all standard Cat6a/Cat7 cables

Each
Retail: 35.00

Installer Packs

Cables and Accessories in Installer-Friendly bags instead of hanging boxes.

Installer Packs, designed for AudioQuest Custom-Installation dealers, provide exactly what's needed to get the job done. Sold individually or in packs of 5 or 10, Installer Packs come with convenient integrated labels that can be peeled off and placed on a sales invoice. No retail packaging, no garbage in the truck, no excess waste or cost.

AudioQuest dealers should consult the UPP for Dealer Pricing.

AC Power Cables
Packs of 5




Meters	Feet	NRG-X2		NRG-X3	
		Retail Each	Dealer 5-Pack	Retail Each	Dealer 5-Pack
0.3m	1'	100.95	-	127.45	-
0.6m	2'	106.95	-	134.95	-
0.9m	3'	112.95	-	146.95	-

AC Power Cables
Single Packs



Meters	Feet	NRG-Y2	NRG-Y3	NRG-Z2	NRG-Z3
		Retail	Retail	Retail	Retail
0.3m	1'	210.45	243.95	323.95	400.00*
0.6m	2'	220.95	262.95	347.95	450.00*
1m	3' 3"	231.45	284.95	379.95	520.00*

AC Power C7 90° Adaptors
Packs of 10



E = Equal radius		U = Unequal radius	
Retail Each	Dealer 10-Pack	Retail Each	Dealer 10-Pack
34.95	-	34.95	-

* New price effective now.

Audio Interconnect Cables
Packs of 5



Meters	Feet	Tower		Golden Gate		Alpha-Snake	
		Retail Each	Dealer 5-Pack	Retail Each	Dealer 5-Pack	Retail Each	Dealer 5-Pack
0.5m	1' 7"	-	-	-	-	49.95	-
0.6m	1' 11"	71.95	-	192.35	-	-	-
1m	3' 3"	79.95	-	205.95	-	54.99	-
2m	6' 6"	99.95	-	239.95	-	64.95	-
3m	9' 10"	119.95	-	273.95	-	76.95	-

0.6m available in RCA - RCA only.
1.0 - 3.0m available in RCA - RCA, 3.5mm - RCA, 3.5mm - 3.5mm.
Alpha-Snake is a 5-pack dual cable. Available in RCA - RCA only.

Audio Interconnect FLX-X RCA Splitters
Packs of 5



M22F		F22M	
Retail Each	Dealer 5-Pack	Retail Each	Dealer 5-Pack
31.95	-	31.95	-

Optical Cables
Packs of 5



Meters	Feet	Pearl		Forest		Cinnamon	
		Retail Each	Dealer 5-Pack	Retail Each	Dealer 5-Pack	Retail Each	Dealer 5-Pack
0.75m	2' 5"	54.95	-	89.95	-	139.95	-
1.5m	4' 11"	69.95	-	109.95	-	179.95	-
3m	9' 10"	99.95	-	149.95	-	189.95	-

Available in Full-to-Full configurations only.

Forest and Cinnamon: 0.75m and 1.5m cables are braided. 3m cables are PVC.

HDMI Cables

Packs of 5




		BlueBerry		Pearl 48		Forest 48		Cinnamon 48	
		Retail Each	Dealer 5-Pack	Retail Each	Dealer 5-Pack	Retail Each	Dealer 5-Pack	Retail Each	Dealer 5-Pack
Meters	Feet								
0.5m	1' 7"	35.95	-	47.95	-	103.95	-	167.95	-
0.75m	2' 6"	39.95	-	51.95	-	109.95	-	219.95	-
1.5m	5' 0"	49.95	-	64.95	-	142.95	-	259.95	-
2.25m	7' 6"	64.95	-	79.95	-	164.95	-	309.95	-
3m	10' 0"	74.95	-	99.95	-	199.95	-	359.95	-
5m	16' 5"	129.95	-	259.95	-	419.95	-	629.95	-

BlueBerry meets the 18G bandwidth required for video up to 8K/30;
 Pearl 48, Forest 48, and Cinnamon 48 extend this capability up to 8K/60 and 4K/120.

HDMI Adaptors

Packs of 5



HDMI 90° /W		HDMI 90° /N		HDMI 90° NU/R		HDMI 90° NU/L		HDMI 48G Coupler	
		Retail Each	Dealer 5-Pack	Retail Each	Dealer 5-Pack	Retail Each	Dealer 5-Pack	Retail Each	Dealer 5-Pack
		25.95	-	25.95	-	25.95	-	25.95	-

Ethernet Cables (RJ/E)

Packs of 5



		Pearl		Forest		Cinnamon	
		Retail Each	Dealer 5-Pack	Retail Each	Dealer 5-Pack	Retail Each	Dealer 5-Pack
Meters	Feet						
0.2m	0' 8"	61.95	-	116.95	-	-	-
0.5m	1' 7"	69.95	-	125.95	-	-	-
0.75m	2' 5"	74.95	-	129.95	-	189.95	-
1.5m	4' 11"	94.95	-	159.95	-	229.95	-
3m	9' 10"	129.95	-	219.95	-	299.95	-
5m	16' 4"	189.95	-	299.95	-	399.95	-

Digital Coax Cables

Packs of 5



		Forest	
		Retail Each	Dealer 5-Pack
Meters	Feet		
0.75m	2' 5"	66.95	-
1.5m	4' 11"	79.95	-
3m	9' 10"	109.95	-
5m	16' 4"	149.95	-

AudioQuest Branded Point of Purchase (POP) Materials



Acrylic Wall Sign - Black

Dimensions: 31.75" w x 7.75" h

Retail: N/A



Tent Card

Two-sided acrylic,
Wired with AudioQuest and Do No Harm
Dimensions: 9" w x 3" h

Retail: N/A



Window Stickers

Includes two decals on a sheet,
Wired with AudioQuest and Do No Harm
Dimensions (each): 11" w x 3" h

Retail: N/A



Cube Spool Holder

Rugged metal spool holder comes with
convenient merchandising labels and
accommodates almost any AQ spool.
Dimensions: 15.75" h x 15.75" w x 15.75" d


Retail: N/A



Standalone Display Rack

Comes with (16) 10" length hooks.
Dimensions: 56" h x 15.75" w x 15.75" d

Retail: N/A



In-Store Display Rack

Spool holder sold separately.
Dimensions: 76" h x 35" w x 13" d

Retail: N/A

12 Inch Cable Bouquets (Hand Included)



Bulk Speaker Cables

SLiP-DB 16/2 (Bananas)
SLiP-DB 16/4 (Spades)
Rocket 11 Full-Range (Bananas)
Rocket 11 Single BiWire (Spades)

Item Code: BOUQUET1

Retail: N/A



HDMI Cables

Pearl 48
Forest 48
Cinnamon 48
Vodka 48

Item Code: BOUQUET2

Retail: N/A



Red Analog Cables

Golden Gate RCA & 3.5mm Mini
Red River RCA
Red River XLR
Irish Red Subwoofer Cable

Item Code: BOUQUET3

Retail: N/A




Red Digital Cables

Cinnamon Coax
Cinnamon Ethernet
Cinnamon Optical
Cinnamon USB-A & USB-C

Item Code: BOUQUET4

Retail: N/A



Bulk Ethernet Cables

CAT600 DCP
CAT600 FMJ
Forest 700 w/ Telegartner

Item Code: BOUQUET5

Retail: N/A



Red River RCA Termination Steps

Four Red River XLR cables terminated to various steps.

Item Code: BOUQUET6

Retail: N/A



Red River XLR Termination Steps

Four Red River XLR cables terminated to various steps.

Item Code: BOUQUET7

Retail: N/A

AudioQuest Branded Promotional Items



Polo Shirt

Our versatile polo shirt looks great with anything. Classic black with a discreet silver AudioQuest logo, it features moisture-wicking technology and dries quickly. Look cool, stay cool. Men's sizes: S-2XL; Women's sizes: S-XL.

Retail: 89.95



T-Shirt

Our classic crewneck t-shirt is made from 100% lightweight, preshrunk cotton for a perfect fit that's as attractive as it is comfortable. Our t-shirt features a tasteful red AudioQuest logo against a solid black background. Made by Port and Company. Sizes: S-3XL

Retail: 26.00



Hooded Jacket

Our ultra-comfortable jacket features a three-panel hood with drawcords and toggles for a warm, snug fit. The zippered front, open hand pockets, and zippered sleeve pocket add convenience and style. The colorblocked gray-and-black design highlights a subtle AudioQuest logo in silver. Sizes: S-3XL

Retail: 109.95



Chino Washed Cotton Baseball Cap

Our baseball cap has a durable 8-stitch bill for a long-lasting, contoured shape. The Velcro fastener provides easy adjustments for a perfect fit. Available in black with red AudioQuest logo and trim, this cap looks and feels great. One size fits all.

Retail: 26.00



Beanie

Red, gray, and black, with our classic red AudioQuest logo, our stylish beanie is made from super-stretch, fine-gauge acrylic, for a warm, snug fit over your head and ears. The perfect accessory for those cooler days. One size fits all.

Retail: 26.00



Pen

Take note: With its discreet AQ logo, piano-black lacquered tube, and chrome accents, this ballpoint pen has the looks to match the quality of your prose. Keep it in your AudioQuest backpack and take it with you wherever you go.

Retail: 35.00



Koozie New!

Whether you're walking the show floor, working on an installation, assessing soundstage depth from the hot seat, or simply relaxing on a sunny weekend, keep beverages cool while representing your favorite brand with the AQ Koozie.

Retail: 6.95



Water Bottle

Made by Specialized, this 26-ounce leak-proof water bottle has a self-sealing valve and features easy-to-squeeze BPA-free, recyclable plastic. Our distinct Wolves artwork is printed with a non-solvent based, CPSC-approved ink. Just aim and squeeze for clean, pure refreshment.

Retail: 19.95

AudioQuest Branded Promotional Items



Backpack

Available in black with our black AudioQuest and Four Elements logos. Accommodates laptops with 13" screens and tablets. Made of nylon.

Retail: 26.00



Padded Backpack

Do no harm with our padded backpack. It features a discreet front-panel zipper, multiple internal pockets, and mesh side pockets for drinks and other items. A padded laptop insert safely accommodates screens up to 15". Mesh backing and straps are durable and comfortable, making the backpack as easy to carry as it is to wear.

Retail: 40.00



Tote Bag

This super-durable tote bag is made of water-repellent polyester and has a long strap that fits easily over a shoulder. Measuring 38cm x 36.5cm (15in x 14.4in), its slim pocket is perfect for carrying AudioQuest merchandise—pens, tumblers, price books—and even an LP or two! The simple black-on-black design features a subtly stylish AQ logo.

Retail: 25.00

Index

A

AC Power Cables

NRG-X2	11
See also Installer Packs, pg. 59	
NRG-X3	11
See also Installer Packs, pg. 59	
NRG-Y2	11
See also Installer Packs, pg. 59	
NRG-Y3	11
See also Installer Packs, pg. 59	
NRG-Z2	11
See also Installer Packs, pg. 59	
NRG-Z3	11
See also Installer Packs, pg. 59	
Monsoon	12
Monsoon XTRM	12
Blizzard	12
Blizzard XTRM	12
Silver Cloud	12
Silver Cloud XTRM	12
Thunder (High-Current)	13
Tornado (High-Current)	13
Tornado (Source)	13
Hurricane (High-Current)	13
Hurricane (Source)	13
FireBird (High-Current)	13
FireBird (Source)	13
Dragon (High-Current)	13
Dragon (Source)	13

AC Power Conditioners

PowerQuest G8	8
PowerQuest 2	8
PowerQuest 3	8
PowerQuest TV-3	9
PowerQuest 303	9
PowerQuest 505	9
PowerQuest 707	9
Niagara 3000	9
Niagara 5000	9
Niagara 7000	9

Adaptors

C7 90° Adaptor Kit	14
See also Installer Packs, pg. 59	
DragonTail A to C Adaptor	7
DragonTail USB A 2.0 Extender	7
DVI-IN to HDMI-OUT Adaptor	39
F-90° Adaptor	48
FLX-Mini/RCA Adaptor	30
F to BNC Male Adaptor	48
F to RCA Male Adaptor	48

Hard Mini/RCA Adaptor	30
HDMI 48G A to A Coupler	39
HDMI 90°/W Adaptor	39
See also Installer Packs, pg. 60	
HDMI 90°/N Adaptor	39
See also Installer Packs, pg. 60	
HDMI 90° NU/L Flat Adaptor	39
See also Installer Packs, pg. 60	
HDMI 90° NU/R Flat Adaptor	39
See also Installer Packs, pg. 60	
IEC>3US Power Strip	14
IEC90/1	14
IEC90/2	14
M21F-90 Adaptor	30
Mini Display Port to	
HDMI 4K Adaptor	39
Optical Mini Adaptor	43
RCA - BNC Adaptor	48
USB 3.1 C to A Adaptor	42
USB B - Micro B 2.0 Adaptor	42
USB Mini B - Micro B 2.0 Adaptor ..	42

AES/EBU (Balanced) Cables

Carbon	45
Wild	45
WEL Signature	45

Audio Interconnect Cables

Tower	26
See also Installer Packs, pg. 59	
Evergreen	26
Golden Gate	26
See also Installer Packs, pg. 59	
Big Sur	26
Sydney	26
Yosemite	26
Angel	26
Chicago	27
See also Bulk Cables, pg. 57	
Red River	27
See also Bulk Cables, pg. 57	
Mackenzie	27
See also Bulk Cables, pg. 57	
Yukon	27
Black Beauty	28
Pegasus	28
ThunderBird	29
FireBird	29
Dragon	29

B

BiWire Jumpers

Bare Naked BiWire Jumpers	24
---------------------------------	----

ThunderBird	24
Dragon	24

Bulk Cables

HD6 Carbon	52
HD6 Forest	52
HD6 Pearl	52
ITA-1/1	52
ITA-3/3	52
ITA-5/5	52
SLiP/DB-14/2	53
SLiP/DB-14/4	53
SLiP/DB-16/2	53
SLiP/DB-16/4	53
SLiP/MAX-16/2	53
SLiP/MAX-16/4	53
G2	54
X2	54
Q2	54
Rocket 11	53
Rocket 22	53
Rocket 33	54
Rocket 44	54
Rocket 88	54
Chicago	57
Red River	57
Mackenzie	57
CAT600 DCP	58
CAT600 FMJ	58
CAT700 Carbon	58
CAT700 Forest	58
CAT700 Pearl	58

C

Cable Bouquets

Bulk Ethernet Cables	62
Bulk Speaker Cables	62
HDMI Cables	62
Red Analog Cables	62
Red Digital Cables	62
Red River RCA Termination Steps ..	62
Red River XLR Termination Steps ..	62

Cable Clips	47
-------------------	----

Cable Risers

Fog Lifters	14, 24, 47
-------------------	------------

Cleaner

CleanScreen Kit	47
CleanScreen Pack	47

Connectors

507 Series Banana	55
1000 Series Banana	55

Banana Connectors	56
CAT600 DCP Connectors	58
CAT600 FMJ Connectors	58
CAT700 Connectors	58
CAT700 Telegärtner	
Male Connector	58
Chicago RCA	57
Color Bands for 18 and 24 AWG	
ITC Connectors	52
F-90°	49
ITC-18G/BNC	52
ITC-18G/F	52
ITC-24G/BNC	52
Mackenzie RCA	57
Mackenzie XLR	57
Pin Connectors	56
RCA-90°	49
RCA-300	49
RCA-800	49
Red River RCA	57
Red River XLR	57
Spade Connectors	56
SureGrip 100 Banana	55
SureGrip 100 Multi-Spade	55
SureGrip 300 Banana	55
SureGrip 300 Multi-Spade	55
XLR Connectors	49

Couplers

F - F Coupler	48
HDMI A - A Coupler	39
See also Installer Packs, pg. 60	
RCA - RCA Coupler	30

D

72v DBS Pack with RF Noise-Trap ..	47
------------------------------------	----

Digital Coax Cables

Forest	44
See also Installer Packs, pg. 60	
Cinnamon	44
Carbon	44
Coffee	44
WEL Signature	44

DragonFly

Cobalt	7
--------------	---

E

Ethernet Cables (RJ/E)

Pearl	46
Forest	46
Cinnamon	46
Vodka	46
Diamond	46

Index

F

Fog Lifters..... 14, 24, 47

G

GroundGoody

Black Hole..... 34
ThunderBird 34
Dragon 34

H

HDMI Cables

BlueBerry..... 37
Pearl 48 37
Forest 48 37
Cinnamon 48 37
Carbon 48..... 37
Vodka 48 37
ThunderBird 48 37
FireBird 48..... 37
Dragon 48..... 37
Pearl 18 Long Distance 38
Forest 18 Long Distance 38
Root Beer 18 Optical..... 38
Cherry Cola 48 Optical 38
Vodka eARC..... 38
ThunderBird eARC..... 38
Dragon eARC..... 38

Headphone Accessories

NightBird Headphone Cable 34
Perch Headphone Stand 34

J

JitterBug FMJ 7
See also USB Accessories, pg. 42

N

Noise-Stopper Caps

HDMI Noise-Stopper Caps 50
RCA Noise-Stopper Caps..... 50
RJ45 Noise-Stopper Caps..... 50
USB-A Noise-Stopper Caps..... 50
XLR Input (Female)
Noise-Stopper Caps 50
XLR Output (Male)
Noise-Stopper Caps 50

O

Optical Cables

Pearl..... 43
Forest..... 43
Cinnamon 43
Carbon..... 43
Vodka..... 43

P

POP Materials

12 Inch Cable Bouquets..... 62
Acrylic Wall Sign - Black..... 61
Cube Spool Holder..... 61
Display Rack, In-Store..... 61
Display Rack, Standalone..... 61
Tent Card..... 61
Window Stickers..... 61

PreAmp Jumpers 30

Promotional Items

Backpack..... 64
Backpack, Padded..... 64
Baseball Cap 63
Beanie 63
Hooded Jacket..... 63
Koozie..... 63
Pen 63
Polo Shirt..... 63
Tote Bag..... 64
T-Shirt..... 63
Water Bottle 63

Q

Q-Feet, SorboGel 47

R

Record Brushes

Silver Anti-Static Record Brush 34
Gold Anti-Static Record Brush 34

S

Silver Solder..... 49
Sorbothane Self-Stick Sheet 48

Speaker Cables

G2 18
See also Bulk Cables, pg. 54
X2..... 18
See also Bulk Cables, pg. 54
Q2 18
See also Bulk Cables, pg. 54
Rocket 11 19
See also Bulk Cables, pg. 54
Rocket 22..... 19
See also Bulk Cables, pg. 54
Rocket 33..... 19
See also Bulk Cables, pgs. 53, 54
Rocket 44 19
See also Bulk Cables, pgs. 53, 54
Rocket 88..... 19
See also Bulk Cables, pgs. 53, 54

Lone Ranger..... 20
BigFoot..... 20
Lone Ranger/BigFoot
BiWire COMBO 20
Brave Heart..... 20
ThunderBird BASS..... 21
ThunderBird ZERO 21
ThunderBird ZERO BiWire COMBO . 21
FireBird BASS 22
FireBird BiWire COMBO 22
FireBird ZERO 22
Dragon BASS..... 23
Dragon BiWire COMBO 23
Dragon ZERO..... 23

Splitters

FLX-Mini Splitter..... 30
FLX-X RCA Splitter 30
F to 2F Splitter 48
F to 4F Splitter..... 48
Hard RCA Splitter..... 30

Subwoofer Cables

Black Lab..... 31
Greyhound 31
Irish Red..... 31
Boxer..... 31
Husky 31

T

Termination Pants

Rocket 11 Pants set/4..... 56
Rocket 22 Pants set/4..... 56
Rocket 33 Pants set/4 56
Rocket 44 Pants set/4..... 56
Rocket 88 Pants set/4..... 56

Tonearm Cables

Golden Gate..... 32
Angel 32
Yosemite 32

Tools

Binding-Post Wrench..... 48

Turntable Cables

Angel 32
Golden Gate..... 32
Yosemite 32
WEL Signature Limited Edition..... 32

U

USB Cables

Pearl..... 41
Forest..... 41

Cinnamon 41
Carbon..... 41
Coffee..... 41
Diamond 41


V

Vinyl Accessories

HL-5 Headshell Leads..... 34
Black Hole GroundGoody..... 34
ThunderBird GroundGoody..... 34
Dragon GroundGoody..... 34
Silver Anti-Static Record Brush 34
Gold Anti-Static Record Brush 34

Wall Outlets

NRG Edison (15 Amp) 14
NRG Edison (20 Amp)..... 14



audioquest®

California, USA ▪ The Netherlands
Tel +1 949.790.6000 ▪ www.audioquest.com